UNIVERSAL ASSEMBLER VERSION 1.2 JANUARY 4, 1978 (IN-HOUSE)

```
COMMAND LINE WAS: SNAP3 FLEX,,,PROC/GBQLX

INCLUSION A: PROCPARM/TXT
INCLUSION B: PMACMIC/TXT
INCLUSION C: GMACROZ/TXT
INCLUSION D: PORTASGN/TXT
INCLUSION E: PROCEQUS/TXT
INCLUSION F: MDEF1800/TXT
INCLUSION G: BDEF1800/TXT
INCLUSION H: PORTEQUS/TXT
INCLUSION I: DDEF1800/TXT
INCLUSION J: HDEF1800/TXT

PROGRAM NAME: FLEX

PROGRAM ADDRESS BLOCKS:      010000    /ABSOLUTE/  SIZE=000000  (ABS)
                             167400    /SYSIVR/    SIZE=000400  (ABS)
                             170000    /SYSROM/    SIZE=000047  (ABS)
                             004000    /FLEXL/     SIZE=002000  (ABS)
                             000000    /FLEXP/     SIZE=004000  (REL)

EXTERNAL DEFINITIONS:

MBPAGE    004000          FXID      005231          FXSTAT    005652          UBIO      005671
INFO      005730

EXTERNAL REFERENCES (UNDEFINED SYMBOLS):

SRVBSN    SRVDO     SRVRPT    FETCH     FETCHI    IVIOL$

UNUSED LABELS:

DOREAD    FDINIT
```

```
                INC     PROCPARM
*
. 2,9,K   HJS     17 APR 78           SETUP FOR RELOCATABLE & USING LESS REGS
. 2,9,J   HJS     17 MAR 78           OPTIMIZE HDR CHECK IF NO SRVREQ PENDING
. 2,9,H   HJS     13 FEB 78           MEMPF EVERYWHERE (CORRECT M8STAT)
. 2,9,G   HJS     30 JAN 78           ADD COMMENTS (MINOR FIXES TOO)
. 2,9,F   HJS     12 JAN 78           FIX WRITE BIAS CURRENT BUG (FINALLY?)
. 2,9,C   HJS     12 DEC 77           FIX BUGS - INFO - SYSTAT ADDED
. 2,9,B   HJS     20 NOV 77           FIX MINOR BUGS
. 2.9.A   HJS     14 NOV 77           APF FIX AND PADDING MOD
*
. 2,8,B   HJS     22 SEP 77           FIX BUGS CREATED WHEN ROOM MADE
. 2.8.A   HJS     16 SEP 77           MAKE ROOM FOR MTI CRC ROUTINE
*
. 2.7.    HJS      7 SEP 77           BUG-FIX AND MINOR MODES FOR NEW RELEASE
*
. 2,H,B   HJS     31 AUG 77           CONVERTED FOR MTI VERSION (CRC)
*
. 2,5,C   HJS     16 AUG 77           CORRECTED THE COMMENTS AS NEEDED
. 2.5.A   HJS     12 JULY 77          UPDATE TO MATCH VRP CONTROL FORMAT
*
```

```
                        +
                        .    HELPFUL INFORMATION (I HOPE):
                        .
                        . ************************************************************************
                        . IF WRITE SINGLE, DO IT, IF HEADER WAS IN THE DATA FIELD, USER DESERVES WHAT
                        . THE USER GETS BECAUSE WAS DOUBLE DENSITY DATA SECTOR
                        . ************************************************************************
                        . IF WRITE DOUBLE AND GET D.C. GAP FAILURE (CHECK THAT THAT WAS IT)
                        . MARK THAT A MISTAKE SEEN AND ATTEMPT TO RE-READ A HEADER AGAIN,
                        . IF HEADER FOR WRONG SECTOR THEN RE-READ HEADER AGAIN ALSO.
                        . ************************************************************************
                        . DOCUMENT THAT DUE TO COMMON CODE  FDWPI, FDVRS & FDVRD CAN GET MEMORY FAULTS
                        . FROM WHERE HL POINTS (ACCESS PROTECT INCLUDED)
                        . ************************************************************************
                        . NOTE:::
                        . DUE TO BUFFER CYCLE TIMES A BUFFER ACCESS CAN NOT HAPPEN CLOSER THAN
                        . 1 MICRO-SEC. FROM ANOTHER (FOR DISK OR FROM MICRO-PROC.)
                        . FOR SAFETY THIS CODE KEEPS ALL ITS ACCESSES OVER 2 MICRO-SEC APART,
                        . THE COMMANDS THAT DO IMMEDIATE CYCLES ARE:
                        . FCOUTC, FCINDT, FCOTUP, FCWDGP, FCWRTN
                        . ************************************************************************
                        . NOTE:: AGAIN ::
                        . LOADING MICRO-PROCESSOR POINTER DOES AN IMMEDIATE BUFFER READ ANTICIPATING
                        . AN FCINDT (DATA IS PRE-READ) THEREFORE FCOTUP MUST ALWAYS OCCUR AFTER DISK
                        . READ OPERATION HAS COMPLETED.
                        . ************************************************************************
                        *
004000                  FLEXL   ORG     FLEX                    LOGICAL SPACE DEFINED IN PLACE
000000                  FLEXP   ORG     0                       PHYSICAL SPACE RELOCATABLE
004000                  FLEXL   USE     FLEXL                   USE THEM BOTH
000000                          USE     FLEXP                   PUT THE CODE IN PHYSICAL SPACE
004000L                 FLEXP   LOC     FLEXL,2                 WITH ADDRESSES IN LOGICAL SPACE
```

```
56,                     *
57,                     * INTERRUPT SERVICE ROUTINE
58,                     .BSDO
59,                     .       BEGIN
60,                     .       MBIAK (IAKODE);                         FIND WHO MAKING NOISE & WHY
61,                     .         STB     MIFIAK
62,                     .         MBIN    NOOP
63,                     .         LDRT    TEMP1                   ALIAS IAKODE
64,                     .       IF MBSTAT <> NOTHINGTODO
65,                     .       THEN IF (IAKODE .AND. FIADR) = MADR     AM I INTERESTED IN DEVICE?
66,                     .            THEN MBPAGE;                       YES, SERVICE INTERRUPT
67,                     .         LDTR    MBSTAT
68,                     .         BRA     BSDON,TZ
69,                     .         DOTRR   ,XR,MADR,TEMP1
70,                     .         BPGX    MBPAGE
71,                     .         TSTIT   ,FIADR
72,                     .         BRA     MBPAGE,TZ
73,                     .         BPGX    $
74,                     .BSDON
75,                     .       TEMP := IAKODE .AND. FIADR;
76,                     .       MBUS (TEMP, FCOINT, 0);                 NO, DON'T WANT ANY MORE
77,                     .       MBUS (TEMP, FCLEAR, FKMAST-FKRWMF);     NOISE FROM INTERRUPTER
78,                     .         DORIR   TEMP1,NO,FIADR,TEMP1
79,                     .         MBUS    ,FCOINT,0
80,                     .         MBUS    TEMP1,FCLEAR,FKMAST-FKRWMF
81,                     .        RETURN HERE FROM DISKETTE SERVICE TO DO OTHER BUT ONLY DISPLAY DOES IT
82,                     .       IF SCDSPNL IN SRVREQ
83,                     .       THEN RETURN (SRVRTW)
84,                     .       RETURN (DL$DO)
85,                     .SRVBSN
86,                     .         LDPT    SRVREQ
87,                     .         TSTIT   ,SCDSPNL
88,                     .         BRA     SRVRTW,TZ
89,                     .DLDO
90,                     .         BRAX    DL$DO
91,                     .       END BSDO;
```

```
 92:                                    +
 93:                                    *
 94:  004000L                           MBPAGE:
 95:                                    .       BEGIN
 96:                                    .       IAKODE := IAKODE .AND. FINUM;            GET INTERRUPT NUMBER
 97:                                    .       MBUS (MADR, FCOMOD,
 98:                                    .            FOLOAD + FODR0 + (MBITS .AND. FRDRV));   SET CORRECT DRIVE
 99:  004000L                           MBSTRT                                  (SPECIAL ENTRY ON FDCMD = HEAD READ)
100:                                    .                                       (GOES TO HDRERD THROUGH HDSTRT)
101:  004000L 01010101 01110000                 DORI   TEMP1,ND,FINUM          T-REG ALREADY HOLDS IAKODE
      004001L 01101111 11110001
102:  004002L 00010001 10110100                DOTIR  ,ND,FRDRV,MBITS,CC
      004003L 01010101 00000001
103:  004004L 11001100 11111011                MBWAIT
104:  004005L 01010010 00000101                DOPI   MIFDAT,AC,FOLOAD+FODR0
      004006L 00110111 00100111
105:  004007L 00010001 11110011                MBUSAS MADR,FCOMOD
      004010L 01010011 10010000
      004011L 00110111 00100110
      004012L 00110111 00101001
106:                                    .       IF IAKODE <> FIINDX
107:                                    .       THEN EXIT (MBSTAT);                      GO TO STATE SERVICE ROUTINE
108:  004013L 01110001 10110001                   TSTIR  XR,FIINDX,TEMP1,CC     (CC FOR HDSTRT SPECIAL CASE)
      004014L 01000000 00110000
109:  004015L 10000010 00000101                 BRR    MBSTAT,FZ
110:                                    .       MBITS := MBITS + FRIXCT;                 COUNT INDEX INTERRUPTS
111:                                    .       IF CARRY
112:                                    .       THEN EXIT (FXIOER);                      TOO MANY INDEX PULSES IS BAD
113:                                    .       EXIT (HDRERD)                            RESTART OPERATIONS
114:  004016L 00010001 10110100                   DORIR  MBITS,AC,FRIXCT,MBITS,CC
      004017L 01010010 01000000
      004020L 00000111 11110100
115:  004021L                           HDSTRT                                  (INDIRECT LINK TO HDRERD FOR FDCMD)
116:  004021L 11010000 01001001                BRA    HDRERD,FC                (SO I/O TO DISKETTE STOPPED)
117:                                    .       BRA    FXIOER
118:                                    .       END MBPAGE;
119:                                    *
120:  004022L                           MEMPFDS                                 (USED ONLY BY APF MEMORY FAULT FROM)
121:                                    .                                       (TRACK/SECTOR NUMBERS IN RAM)
122:  004022L                           FXIOER
123:                                    .       BEGIN
124:                                    .       MBITS := MBITS .XOR. (FRBUSY + FRINDX);  OFF BUSY, ON INDEX ERROR
125:  004022L 01010001 00000110                   LDTI   FRBUSY+FRINDX
126:                                    .       EXIT (PENDR)                             FINISHED
127:  004023L 11001111 11101000                   BRA    PENDR
128:                                    .       END FXIOER;
```

```
129,                                    +
130,                                    *
131,  004024L                           DONIO
132,                                    .       BEGIN
133,                                    .       IF FITROK <> IAKODE                     MAKE SURE ENDED CORRECTLY
134,                                    .       THEN EXIT (HDREAD);                     NO, THEN TRY AGAIN
135,  004024L 01000000 01010000                    TSTIT  XR,FITROK
136,  004025L 11010010 01000010                    BRA    HDREAD,FZ
137,                                    .       MBITS := MBITS .AND. -1-FRBUSY;
138,  004026L 01010001 00000010                    LOTI   FRBUSY
139,                                    .       EXIT (PENDR)
140,                                    .         BRA    PENDR
141,                                    .       END DONIO;
142,                                    *
143,  004027L                           PENDR
144,                                    . 2.40
145,                                    .       BEGIN
146,  004027L 00010000 11110100                    DORR   MBITS,XR,MBITS          (COMMON CODE SAVINGS)
      004030L 00000111 11110100
147,                                    .       MBUS (MADR, FCOINT, 0);                 CLEAR INTERRUPTS AND MASK
148,                                    .       MBSTAT := NOTHINGTODO;
149,                                    .       MBUS (MADR, FCLEAR, FKMAST + FKLOFF);
150,  004031L 00010001 11110011                    MBUS   MADR,FCOINT,0
      004032L 01010011 10110000
      004033L 11001100 11100100
      004034L 00110111 00100110
      004035L 01010001 00000000
      004036L 00110111 00100111
      004037L 00110111 00101001
151,  004040L 01010001 00000000                BAL    MBSTAT,-1               (NOTHING-TO-DO IS ZERO!)
      004041L 00000111 11110101
152,                                    .                                       (SAVE 1 WORD POSSIBLE, BUT SLOWER)
153,  004042L 00010001 11110011                MBUS   MADR,FCLEAR,FKMAST+FKLOFF
      004043L 01010011 00110000
      004044L 11001100 11011011
      004045L 00110111 00100110
      004046L 01010001 01111111
      004047L 00110111 00100111
      004050L 00110111 00101001
154,                                    .NOTHINGTODO;                                   DOES NOTHING!
155,                                    .       RETURN (SRVBSN)
156,  >004051L 01011001 11111111                BRAX   SRVBSN
      >004052L 11001111 11111111
157,                                    .       END PENDR;
158,                                    .
```

```
                        * SECTOR BEING READ   - CHECK IF IT IS REALLY DOUBLE DENSITY SECTOR
161.                    *
162.  004053L             DBLRED
163.                    .       BEGIN
164.                    .       IF (FIPNTR <> IAKODE) OR                    MUST BE POINTERS NOT EQUAL
165.                    .            NOT FSGAP IN MBIN (MADR, FCINST)       AND MUST SEE D.C. GAP
166.                    .       THEN  EXIT (HDRERD)                         OR GIVE UP & START AGAIN
167.  004053L 01000000 01110000          TSTIT  XR,FIPNTR                (IAKODE IN T-REG)
168.  004054L 11010010 01001001          BRA    HDRERD,FZ
169.  004055L 00010001 11110011          MBUS   MADR,FCINST
      004056L 11001100 11010001
      004057L 00110111 00100110
      004060L 00110111 00101001
170.  004061L 01010001 00010000          LDTI   FSGAP
171.  004062L 11001100 11001101          MBTIN
      004063L 00110101 00010101
172.  004064L 11010011 01001001          BRA    HDRERD,TZ
173.                    .       MBUS (MADR, FCOINT, FMINDX+FMTROK+FMTRER);  ALLOW NORMAL INTERRUPTS
174.                    .       MBSTAT := DONIO;                            NOW THAT KNOW IS DOUBLE
175.                    .       MBUS (MADR, FCLEAR, FKPNTR);                CLEARING PNTR INTERRUPT
176.  004065L 00010001 11110011          MBUS   MADR,FCOINT,FMINDX+FMTROK+FMTRER   (JF,BR WASTED)
      004066L 01010011 10110000
      004067L 11001100 11001000
      004070L 00110111 00100110
      004071L 01010001 00001101
      004072L 00110111 00100111
      004073L 00110111 00101001
177.  004074L 01010001 11101011          BAL    MBSTAT,DONIO
      004075L 00000111 11110101
178.  004076L 00010001 11110011          MBUS   MADR,FCLEAR,FKPNTR
      004077L 01010011 00110000
      004100L 11001100 10111111
      004101L 00110111 00100110
      004102L 01010001 00010000
      004103L 00110111 00100111
      004104L 00110111 00101001
179.                    .       RETURN (SRVBSN)                             CONTINUE AS NORMAL
180.  >004105L 01011001 11111111          BRAX   SRVBSN
      >004106L 11001111 11111111
181.                    .       END DBLRED;
182.                    .
```

CHECK HEADER FOR CORRECT FORMAT (AND ON CORRECT TRACK - SECTOR)

```
                                                *
                                                HDRCHK
                                                . 17.30 OR 24.95 IF WORST BAD CASE *** CHANGED AGAIN ***
                                                .       BEGIN
                                                .       IF FITROK <> IAKODE                     ONLY TRANSFER OK ALLOWED INT
                                                .       THEN EXIT (HDREAD);
004107L 01000000 01010000                         TSTIT  XR,FITROK
004110L 11010010 01000010                         BRA    HDREAD,FZ
                                                .       MBUS (MADR, FCOTUP, FPTRKH>1);          SET MICRO-POINTER
                                                .       MBUS (MADR, FCOINT, FMINDX+FMPNTR);     POINTERS NOT EQUAL ONLY
                                                .       MBSTAT := HDRCHK1;
                                                .       MBUS (MADR, FCLEAR, FKMAST+FKLOFF);     DONE & I/O FINISHED
004111L 00010001 11110011                         MBUS   MADR,FCOTUP,FPTRKH>1
004112L 01010011 01010000
004113L 11001100 10110100
004114L 00110111 00100110
004115L 01010001 00000001
004116L 00110111 00100111
004117L 00110111 00101001
004120L 00010001 11110011                         MBUS   MADR,FCOINT,FMINDX+FMPNTR
004121L 01010011 10110000
004122L 11001100 10101101
004123L 00110111 00100110
004124L 01010001 00010001
004125L 00110111 00100111
004126L 00110111 00101001
004127L 01010001 10000110                         BAL    MBSTAT,HDRCHK1
004130L 00000111 11110101
004131L 00010001 11110011                         MBUS   MADR,FCLEAR,FKMAST+FKLOFF
004132L 01010011 00110000
004133L 11001100 10100100
004134L 00110111 00100110
004135L 01010001 01111111
004136L 00110111 00100111
004137L 00110111 00101001
004140L                                 HDRCOM                                  (COMMON HEADER GET DATA BYTE ROUTINE)
                                        . 11.95 OR *** CHANGED AGAIN *** 20.10 IF ERROR
                                        .       BINDEL (HDREAD, TEMP);                  COMPRESS DATA BYTE
                                        .       CRCGENX (TEMP);                         DO CRC FOR IT -*- DELAYED
                                        .       MDSKS := TEMP;                          IT IS TRACK OR SECTOR NUMBER
004140L 00010001 11110011                         MBUSAW MADR,FCINDT                (PRE-SELECT BUS ADDR-FUNCTION)
004141L 01010011 00010000
004142L 11001100 10011101
004143L 00110111 00100110
004144L 01010001 10011000                         BRC    BINDEL,,$+3
004145L 11001111 00101101
004146L 11011111 01000010                         BRA    HDREAD
004147L 00000111 11111000                         LORT   MDSKS
                                                .       IF SOCLK <> MBIN (MADR, FCINDT)         ZERO FOLLOWS TRACK/SECTOR #
                                                .       THEN EXIT (HDREAD);
                                                .       IF SOCLK <> MBIN (MADR, FCINDT)
                                                .       THEN EXIT (HDREAD);
```

CHECK HEADER FOR CORRECT FORMAT (AND ON CORRECT TRACK - SECTOR)

```
                                   .       CRCGEN (0);                               DO CRC FOR ZERO - DELAYED
 004150L 00110111 00101001                   STB     MIFSTB
 004151L 01010001 10101010                   LDTI    SOCLK
 004152L 11001100 10010101                   MBTIN   XR
 004153L 00110000 00010101
 004154L 11010010 01000010                   BRA     HDREAD,FZ
 004155L 01010001 10010000                   BRC     CRCGENX               (DELAYED CRCGENX (TEMP) - NEEDED HERE)
 004156L 11001111 01010010
                                   .                                       (FOR TIMING DELAY BETWEEN MIFSTB'S)
 004157L 00110111 00101001                   STB     MIFSTB
 004160L 01010001 10101010                   LDTI    SOCLK
 004161L 11001100 10001110                   MBTIN   XR
 004162L 00110000 00010101
 004163L 11010010 01000010                   BRA     HDREAD,FZ             (ERROR EXIT, BAD DATA)
                                   .       IF SRVREQ .AND. .NOT. (SCMBUS .OR. SCHUMS)
                                   .       THEN RETURN (SRVDO)
                                   .       ELSE EXIT (MBSTAT);
 004164L 00110001 00110000                   TSTIP   ND,-1-SCMBUS-SCHUMS,SRVREQ,TW  (IGNORE 100 MICRO-SEC)
 004165L 01010101 10111101
 004166L 10000011 00000101                   BRR     MBSTAT,TZ             (DON'T EXIT IF NO SERVICE TO DO)
>004167L 01011001 11111111                   BRAX    SRVDO                 (GO RIGHT TO THE SERVICE)
>004170L 11001111 11111111
                                   *
                                             IFS     APF
 004171L 11000100 10000110         HDRCHK1   MWAIT   ,MEMPFDS
 004172L 11000111 11101101
 004173L 01010001 01100111                   DLDPI   MARO,SVMTRAK,,SMR     (READ THE TRACK NUMBER IN MEMORY)
 004174L 00110111 11000000
 004175L 01010001 11101111
 004176L 00110111 11100000
 004177L 00110111 01000111
 004200L 00010001 11111000                   LDRR    MDSKT,MDSKS
 004201L 00000111 11111001
 004202L 11000100 01111101                   MWAIT   ,MEMPFDS
 004203L 11000111 11101101
 004204L 00110000 00110110                   TSTPT   XR,MDR
                                             XIF
                                             IFC     APF
                                             XIF
 004205L 11010010 01000010                   BRA     HDREAD,FZ
                                   .       MBSTAT := HDRCRC
 004206L 01010001 01110101                   BAL     MBSTAT,HDRCRC
 004207L 00000111 11110101
 004210L 01010001 10011111                   BRC     CRCGEN,,HDRCOM        (FROM DELAY OF ZERO CRC)
 004211L 11001111 01001101
                                   .                                       (AND USE COMMON CODE TO GET SECTOR #)
```

```
254,
255,
256.  004212L 11000100 01110101          *
      004213L 11000111 11101101                  IFS    APF
257.  004214L 01010001 01100110  HDRCRC   MWAIT  ,MEMPFDS
      004215L 00110111 11000000
      004216L 01010001 11101111           DLDPI  MARO,SVMSECT,,SMR      (READ THE TRACK NUMBER EARLY)
      004217L 00110111 11100000
      004220L 00110111 01000111
258,                                      XIF
259,                                      IFC    APF
262,                                      XIF
263,                                    . 16,90 TO HDROK NORMAL (+ 0,40 IF READ SECTOR ZERO)
264,                                    .    + ADD TOTALS FOR EACH INDEPENDENT ROUTINE
265,                                    . 24,95 IF WRONG SECTOR NUMBER
266,                                    . 25,25 IF NOT SECTOR ZERO
267,                                    . 24,45 IF WORST CASE BAD DATA
268,                                    .      IF MCRCH <> BINDEL (HDREAD, TEMP)        CHECK CRC MSB
269,                                    .      THEN EXIT (HDREAD);
270.  004221L 00010001 11110011                MBUSAW MADR,FCINDT
      004222L 01010011 00010000
      004223L 11001100 01101100
      004224L 00110111 00100110
271.  004225L 01010001 01101000                BRC    CRCGEN                 (HERE WHERE TIMING DELAY NEEDED)
      004226L 11001111 01001101
272.  004227L 01010001 01100101                BRC    BINDEL,,$+3
      004230L 11001111 00101101
273.  004231L 11011111 01000010                BRA    HDREAD                 (ERROR EXIT, BAD DATA)
274.  004232L 00010000 11000110                TSTRT  XR,MCRCH
275.  004233L 11010010 01000010                BRA    HDREAD,FZ              (ERROR EXIT, BAD DATA)
276,                                    .    IF MCRCL <> BINDEL (HDREAD, TEMP)        CHECK CRC LSB
277,                                    .    THEN EXIT (HDREAD);
278.  004234L 01010001 01100000                BRC    BINDEL,,$+3
      004235L 11001111 00101101
279.  004236L 11011111 01000010                BRA    HDREAD                 (ERROR EXIT, BAD DATA)
280.  004237L 00010000 11000111                TSTRT  XR,MCRCL
281.  004240L 11010010 01000010                BRA    HDREAD,FZ              (ERROR EXIT, BAD DATA)
282,                                    .    IF (MDSKS <> MSECT) &                    SECTOR NUMBER CORRECT??
283,                                    .       (MSECT <> 0 OR NOT FFREAD IN MBITS) NO, WILL ANY DO - ON READS
284,                                    .    THEN EXIT (HDREAD);                      CAN'T OPERATE ON THAT SECTOR
285,                                           IFS    APF
286.  004241L 11000100 01011110                MWAIT  ,MEMPFDS
      004242L 11000111 11101101
287.  004243L 00110001 00110110                TSTRP  XR,MDSKS,MDR
      004244L 00010000 11001000
288,                                           XIF
289,                                           IFC    APF
291,                                           XIF
292.  004245L 11000011 01010100                BRA    HDROKX,TZ
293.  004246L 00010111 11000010                TSTRT  FT,Q                   (RESET ZERO FLAG ON MSECT VALUE)
294.  004247L 11010010 01000010                BRA    HDREAD,FZ              (DID NOT ASK FOR SECTOR ZERO)
295.  004250L 00010001 11110100                TSTIR  ,FFRMSK,MBITS
```

```
      004251L 01000101 00100000
296:  004252L 11010010 01000010          BRA    HDREAD,FZ              (OR WAS NOT READ OPERATION)
297:  004253L 01011001 11110101  HDROKX  BRAX   HDROK
      004254L 11001111 11111111
298:
299:                             .       IT'S OK, USE THAT SECTOR
300:                             .      EXIT (HDROK)
                                 .      END HDRCHK;
```

```
303,
304,  004255L                          CRCGENX
305,                                   ** 3.7 **
306,                                   .       BEGIN
307,                                   .       MCRCH := MCRCH .XOR. TEMP2;
308,                                   .       EXIT (CRCGEN)
309,                                   .       END CRCGENX;
310,  004255L 01101111 11110000                 BAS     LINK
311,  004256L 00010001 11110110                 DORRR   MCRCH,XR,TEMP1,MCRCH
      004257L 01110000 11110001
      004260L 00000111 11110110
312,  004261L 11001111 01001011                 BRA     CRCGENY
313,                                   *
314,  004262L                          CRCGEN
315,                                   .                                    GENERATE 'SDLC' TYPE CRC
316,                                   ** 3.3 **
317,                                   .       BEGIN
318,                                   .       TEMP2 := MCRCH .XOR. (MCRCH<4 .AND. 017);
319,                                   .       MCRCH := MCRCL;
320,                                   .       MCRCL := TEMP2;
321,                                   .       TEMP2 := MCRCL<4;
322,                                   .       MCRCH := MCRCH .XOR. (TEMP2 .AND. 0360);
323,                                   .       TEMP2 := TEMP2<1;
324,                                   .       MCRCH := MCRCH .XOR. (TEMP2 .AND. 037);
325,                                   .       MCRCL := MCRCL .XOR. (TEMP2 .AND. 0340);
326,                                   .       RETURN
327,                                   .
328,                                   . ENTER: MCRCH  IS MCRCH .XOR. DATA
329,                                   .        MCRCL  IS MCRCL
330,                                   . EXIT:  MCRCH & L, IS THE NEW CRC
331,                                   .        T-REG  IS MCRCL
332,                                   .
333,                                   .
334,                                   .RESULT BITS ARE:  (MADE FROM XOR OF COLUMNS)
335,                                   .BIT 15  14  13  12  11  10   9   8   7   6   5   4   3   2   1   0
336,                                   . IS
337,                                   .    C7  C6  C5  C4  C3  C2  C1  C0
338,                                   .   C15 C14 C13 C12                 C15 C14 C13 C12 C11 C10  C9  C8
339,                                   .    D7  D6  D5  D4                  D7  D6  D5  D4  D3  D2  D1  D0
340,                                   .   C11 C10  C9  C8                                 C15 C14 C13 C12
341,                                   .    D3  D2  D1  D0                                  D7  D6  D5  D4
342,                                   .                  C15 C14 C13 C12 C11 C10  C9  C8
343,                                   .                   D7  D6  D5  D4  D3  D2  D1  D0
344,                                   .                               C15 C14 C13 C12
345,                                   .                                D7  D6  D5  D4
346,                                   . OR IN SHORTER FORM:
347,                                   .    C7  C6  C5  C4  C3  C2  C1  C0
348,                                   .     M   N   O   P                   I   J   K   L   M   N   O   P
349,                                   .                   I   J   K   L   M   N   O   P
350,                                   . WHERE I..P IS:
351,                                   .                  C15 C14 C13 C12 C11 C10  C9  C8
352,                                   .                   D7  D6  D5  D4  D3  D2  D1  D0
```

```
                              .                                C15 C14 C13 C12
                              .                                 D7  D6  D5  D4
                              .
004262L 01101111 11110000               BAS     LINK
004263L 00010001 11110110               LDTR    MCRCH
004264L                       CRCGENY
                                        RPT     4
004264L 00010111 10100010               SHIFT   SL
004265L 00010111 10100010               SHIFT   SL
004266L 00010111 10100010               SHIFT   SL
004267L 00010111 10100010               SHIFT   SL
004270L 01010101 00001111               DOTI    ,ND,017
004271L 00010000 11110110               DORR    TEMP2,XR,MCRCH         HAVE  I  J  K  L  M  N  O  P
004272L 01101111 11110010
004273L 00010001 11110111               LDRR    MCRCH,MCRCL            HAVE C7  6  5  4  3  2  1  0
004274L 00000111 11110110
004275L 01110001 11110010               LDRR    MCRCL,TEMP2
004276L 00000111 11110111
                                        RPT     4
004277L 00010111 10100010               SHIFT   SL
004300L 00010111 10100010               SHIFT   SL
004301L 00010111 10100010               SHIFT   SL
004302L 00010111 10100010               SHIFT   SL
004303L 01101111 11110010               LDRT    TEMP2                  SAVE  M  N  O  P  I  J  K  L
004304L 01010101 11110000               DOTI    ,ND,0360               GET   M  N  O  P
004305L 00010000 11110110               DORR    MCRCH,XR,MCRCH         HAVE 7M 6N 5O 4P  3  2  1  0
004306L 00000111 11110110
004307L 01110001 11110010               DORRR   TEMP2,FT,O,TEMP2,CC+SL HAVE  N  O  P  I  J  K  L  M
004310L 00010111 10100010
004311L 01101111 11110010
004312L 01010101 00011111               DOTI    ,ND,037                GET               I  J  K  L  M
004313L 00010000 11110110               DORR    MCRCH,XR,MCRCH         HAVE 7M 6N 5O 4PI 3J 2K 1L 0M
004314L 00000111 11110110
004315L 01110001 11110010               DOTIR   ,ND,0340,TEMP2         GET   N  O  P
004316L 01010101 11100000
004317L 00010000 10110111               DORR    MCRCL,XR,MCRCL,,CC     HAVE IN JO KP  L  M  N  O  P
004320L 00000111 11110111
004321L 11101111 00000000               BRR     LINK
                              .       END CRCGEN;
```

```
377,                                    +
378,                                    *
379,  004322L                           BINDEL
380,                                    .                                       ROUTINE TO INPUT BYTE & CLOCK DELETE IT
381,                                    ** 4.8 **   1.50 IF ERROR ON FIRST BYTE, 3.70 IF ERROR ON SECOND
382,                                    . BINDEL (ERRADR, BYTE):
383,                                    .       BEGIN
384,                                    .       T := MBIN (MADR, FCINDT) .XOR. SOCLK;
385,                                    .       IF SOCLK IN T
386,                                    .       THEN RETURN (ERRADR);
387,                                    .       TEMP1 := (T [6, 4, 2, 0], 0, 0, 0, 0);
388,                                    .       T := MBIN (MADR, FCINDT) .XOR. SOCLK;
389,                                    .       IF SOCLK IN T
390,                                    .       THEN RETURN (ERRADR);
391,                                    .       TEMP1 := TEMP1 .OR. (0, 0, 0, 0, T [6, 4, 2, 0]);
392,                                    .       MCRCH := MCRCH .XOR. TEMP1;             FOR CRCGENERATOR
393,                                    *
394,                                    . INPUTS TWO BYTES FROM THE DEVICE LAST ACCESSED (ASSUMING COMMAND & ADDR OK)
395,                                    . ODD BITS MUST ALL BE ONE'S, AND EVEN BITS ARE SQUEEZED TOGETHER.
396,                                    . THE FIRST BYTE INPUT DEFINES THE HIGH ORDER HEX DIGIT, AND THE SECOND BYTE
397,                                    . DEFINES THE LOW ORDER HEX DIGIT. THEY ARE COMBINED AND RETURNED IN T-REG.
398,                                    . IF AN ERROR IS SEEN, THE ROUTINE RETURNS TO ONE INSTRUCTION 'BEFORE'
399,                                    . THE ONE SPECIFIED IN THE RETURN ADDRESS GIVEN IN THE T-REG WHEN CALLED.
400,                                    .
401,  004322L 00110111 00101001              MBUSS                           TO DO THE MSB
402,  004323L 01101111 10110000              BAS     LINK,CC
403,  004324L 01010001 10101010              LDTI    SOCLK                   1 0 1 0 1 0 1 0
404,  004325L 11001100 00101010              MBWAIT
405,  004326L 00110000 00010101              DOTP    ,XR,MIFIN               0 D 0 D 0 D 0 D
406,  004327L 01000101 10101010              TSTIT   ,SOCLK
407,  004330L 11000010 00000110              BRA     BINDER,FZ
408,  004331L 01010010 01010101              DOTI    ,AC,0125                < - < - < - < -
409,  004332L 01010101 10101010              DOTI    ,ND,0252                D 0 D 0 D 0 D 0
410,  004333L 01010010 00101010              DOTI    ,AC,052                 D < - < - < - 0
411,  004334L 01010101 11010100              DOTI    ,ND,0324                D D 0 D 0 D 0 0
412,  004335L 01010010 00010100              DOTI    ,AC,024                 D D < - < - 0 0
413,  004336L 01010101 11101000              DOTI    ,ND,0350                D D D 0 D 0 0 0
414,  004337L 01010010 00001000              DOTI    ,AC,010                 D D D < - 0 0 0
415,  004340L 01010101 11110000              DOTI    ,ND,0360                D D D D 0 0 0 0  THE WHOLE NIBBLE IS UP
416,                                        RPT     2
417,  004341L 11001111 00011101              BRA     $+1                     ** DELAY FOR 2.0  -SEC AT LEAST **
417,  004342L 11001111 00011100              BRA     $+1                     ** DELAY FOR 2.0  -SEC AT LEAST **
418,  004343L 00110111 00101001              MBUSS                           *EARLY (A LITTLE)*
419,  004344L 01101111 10110001              LDRT    TEMP1,,CC
420,                                                                         *SECOND HALF (LSB)*
421,  004345L 01010001 10101010              LDTI    SOCLK                   1 0 1 0 1 0 1 0
422,  004346L 11001100 00011001              MBWAIT
423,  004347L 00110000 00010101              DOTP    ,XR,MIFIN               0 D 0 D 0 D 0 D
424,  004350L 01000101 10101010              TSTIT   ,SOCLK
425,  004351L 11000010 00000110              BRA     BINDER,FZ
426,  004352L 01010010 01010101              DOTI    ,AC,0125                < - < - < - < -
427,  004353L 01010101 10101010              DOTI    ,ND,0252                D 0 D 0 D 0 D 0
```

```
428,  004354L 01010010 00101010          DOTI   ,AC,052              D < - < - < - 0
429,  004355L 01010101 11010100          DOTI   ,ND,0324             D D 0 D 0 D 0 0
430,  004356L 01010010 00010100          DOTI   ,AC,024              D D < - < - 0 0
431,  004357L 01010101 11101000          DOTI   ,ND,0350             D D D 0 D 0 0 0
432,  004360L 01010010 00001000          DOTI   ,AC,010              D D D < - 0 0 0
433,  004361L 01010101 11110000          DOTI   ,ND,0360             D D D D 0 0 0 0  THE WHOLE NIBBLE IS UP
434,                                     RPT    4                              MOVE IT DOWN!
435,  004362L 00010111 10100010          SHIFT  SL                  LEFT 4 FASTER THAN RIGHT 5
435,  004363L 00010111 10100010          SHIFT  SL                  LEFT 4 FASTER THAN RIGHT 5
435,  004364L 00010111 10100010          SHIFT  SL                  LEFT 4 FASTER THAN RIGHT 5
435,  004365L 00010111 10100010          SHIFT  SL                  LEFT 4 FASTER THAN RIGHT 5
436,  004366L 01110011 11110001          DORR   TEMP1,OR,TEMP1      AND FINALLY COMBINE THEM
      004367L 01101111 11110001
437,  004370L 11101111 00000000          BRR    LINK
438,                                     *
439,  004371L 01110001 11110000  BINDER  INCR   LINK,LINK           TAKE THE ERROR EXIT (BEFORE NORMAL!)
      004372L 01101110 01110000
440,  004373L 11101111 00000000          BRR    LINK
441,                                     *      END BINDEL;
442,                                     *
443,  004374L 11111111 11111111          TABPAGE FLEXL
      004375L 11111111 11111111
      004376L 11111111 11111111
      004377L 11111111 11111111
```

```
                                        +
                                        *
004400L                                 BOTINS
                                        .                                       ROUTINE TO OUTPUT BYTE, CLOCK INSERTING
                                        ** 4.1 **
                                        . BOTINS (BYTE);
                                        .       BEGIN
                                        .       T := (1, BYTE [7], 1, BYTE [6], 1, BYTE [5], 1, BYTE [4]);
                                        .       MBUS (MADR, FCOUTC, T);
                                        .       T := (1, BYTE [3], 1, BYTE [2], 1, BYTE [1], 1, BYTE [0]);
                                        .       MBUS (MADR, FCOUTC, T);
                                        .       MCRCH := MCRCH .XOR. BYTE                       FOR CRCGENERATOR
                                        *
                                        .
                                        . INPUTS A BYTE FROM TEMP1 AND OUTPUTS TWO BYTES
                                        . TO THE DEVICE LAST ACCESSED ON THE MICRO-BUSS (ASSUMING ADDR. & COMMAND OK)
                                        . THE MOST SIGNIFICANT INPUT NIBBLE BECOMES THE FIRST BYTE AND THE LEAST
                                        . SIGNIFICANT NIBBLE THE SECOND BYTE OUTPUT.
                                        . EACH NIBBLE GETS CLOCK BITS INSERTED BEFORE EACH BIT OF THE NIBBLE
                                        . TO SPREAD THE 4 BITS OUT TO FILL A BYTE.
                                        .
004400L 01101111 11110000                       BAS     LINK
004401L 01110001 11110001                       LDTR    TEMP1
                                                RPT     4                       ** MSB **  (CLEARS CARRY ALSO)
004402L 00010111 10100010                       SHIFT   SL
004403L 00010111 10100010                       SHIFT   SL
004404L 00010111 10100010                       SHIFT   SL
004405L 00010111 10100010                       SHIFT   SL
004406L 01010101 00001111                       DOTI    ,ND,017                 0 0 0 0 D D D D
004407L 01010010 00001000                       DOTI    ,AC,010                 0 0 0 < - D D D
004410L 01010101 00010111                       DOTI    ,ND,027                 0 0 0 D 0 D D D
004411L 01010010 00010100                       DOTI    ,AC,024                 0 0 < - < - D D
004412L 01010101 00101011                       DOTI    ,ND,053                 0 0 D 0 D 0 D D
004413L 01010010 00101010                       DOTI    ,AC,052                 0 < - < - < - D
004414L 01010011 10101010                       DOTI    ,OR,SOCLK               1 D 1 D 1 D 1 D
004415L 11011100 11110010                       MBWAIT
004416L 00110111 00100111                       STB     MIFDAT,MIFSTB           **OUTPUT MS-NIBBLE **
004417L 00110111 00101001
004420L 01110001 11110001                       LDTR    TEMP1                   ** LSB **
004421L 01010101 00001111                       DOTI    ,ND,017                 0 0 0 0 D D D D
004422L 01010010 00001000                       DOTI    ,AC,010                 0 0 0 < - D D D
004423L 01010101 00010111                       DOTI    ,ND,027                 0 0 0 D 0 D D D
004424L 01010010 00010100                       DOTI    ,AC,024                 0 0 < - < - D D
004425L 01010101 00101011                       DOTI    ,ND,053                 0 0 D 0 D 0 D D
004426L 01010010 00101010                       DOTI    ,AC,052                 0 < - < - < - D
004427L 01010011 10101010                       DOTI    ,OR,SOCLK               1 D 1 D 1 D 1 D
004430L 11011100 11100111                       MBWAIT
004431L 00110111 00100111                       STB     MIFDAT                  ** OUTPUT LS-NIBBLE **
                                                RPT     5
004432L 11011111 11100100                       BRA     $+1                     ** DELAY FOR 2.0  -SEC AT LEAST **
004433L 11011111 11100011                       BRA     $+1                     ** DELAY FOR 2.0  -SEC AT LEAST **
004434L 11011111 11100010                       BRA     $+1                     ** DELAY FOR 2.0  -SEC AT LEAST **
```

```
489;  004435L 11011111 11100001          BRA     $+1                     ** DELAY FOR 2.0  -SEC AT LEAST **
489;  004436L 11011111 11100000          BRA     $+1                     ** DELAY FOR 2.0  -SEC AT LEAST **
490;  004437L 00110111 00101001          MBUSS
491;  004440L 11101111 00000000          BRR     LINK
492;                                   END BOTINS;
493;                                   .
```

```
                                        *
                                        . *
004441L                                 FDFCNS
                                        ** TIMINGS GIVEN BELOW ARE TO LABEL 'FDF' WITH WHATEVER ROUTINE IS USED
                                        .
                                                IFS     APF
                                        *       CRC: CRCGEN ((MAR));                    ONLY CRC GENERATE
                                        .            MAR := MAR + 1;
                                        .            EXIT (FDF);
                                        ** 4,25 **
004441L 00110001 00110110                       LDTP    MDR
004442L 00110111 00001100                       STB     IMAR,SMR
004443L 00110111 01000111
004444L 00010000 11110110                       DORR    MCRCH,XR,MCRCH
004445L 00000111 11110110
004446L 01010001 10011000                       BRC     CRCGEN,,FDF
004447L 11001111 01001101
004450L 11001110 11111111                       NOOP
                                                XIF
                                        .
                                                IFC     APF
                                                XIF
                                        *
                                        .       WPI: MBUS (MADR, FCOUTC, SOCLK);        PREAMBLE INITIALIZE
                                        .            EXIT (FDF);
                                        ** 0,85 **
004451L 01010011 10100000                       MBUSA   ,FCOUTC
004452L 00110111 00100110
004453L 01010001 10101010                       LDPI    MIFDAT,SOCLK
004454L 00110111 00100111
004455L 00110111 00101001                       MBUSS
004456L 11011111 10011000                       BRA     FDF
004457L 11001110 11111111                       NOOP                                    (PAD TO 8 WORDS)
004460L 11001110 11111111                       NOOP
                                        *
                                        .       OTD: MBUS (MADR, FCOUTC, TEMP := (MDR)); OUTPUT DOUBLE
                                        .            CRCGENX (TEMP);
                                        .            MAR := MAR + 1
                                        .            EXIT (FDF);
                                        ** 5,1 **
004461L 01010011 10100000                       MBUSA   ,FCOUTC
004462L 00110111 00100110
004463L 00110001 00110110                       MBUSP   MDR
004464L 00110111 00100111
004465L 01101111 11110001                       LDRT    TEMP1
004466L 00110111 00101001                       MBUSS
004467L 01010001 10011010                       BRC     CRCGENX,,FDFIS
004470L 11001111 01010010
```

```
545,                                *
546,                                .       OTS: BOTINS (TEMP := (MDR));            OUTPUT SINGLE
547,                                .            CRCGENX (TEMP);
548,                                .            MAR := MAR + 1
549,                                .            EXIT (FDF);
550,                                ** 9,20 **
551.  004471L 01010011 10100000              MBUSA  ,FCOUTC
      004472L 00110111 00100110
552.  004473L 00110001 00110110              LDRP   TEMP1,MDR
      004474L 01101111 11110001
553.  004475L 01010001 11000000              BRC    BOTINS
      004476L 11011111 11111111
554.  004477L 01010001 10011010              BRC    CRCGENX,,FDFIS
      004500L 11001111 01010010
555,                                *
556,                                .       VRD: TEMP := MBIN (MADR, FCINDT);       VERIFY DOUBLE
557,                                .            CRCGENX (TEMP);
558,                                .            EXIT (FDF);
559,                                ** 5,45 **
560.  004501L 01010011 00010000              MBUSAS ,FCINDT
      004502L 00110111 00100110
      004503L 00110111 00101001
561.  004504L 11001110 11111111              MBIN   NOOP
      004505L 11011100 10111010
      004506L 00110001 00010101
562,  004507L 01101111 11110001              LDRT   TEMP1
563,  004510L 11011111 10110001              BRA    FDFINC
564,                                *
565,                                .       VRS: BINDEL (FDRDTA, TEMP);             VERIFY SINGLE
566,                                .            CRCGENX (TEMP);
567,                                .            EXIT (FDF);
568,                                ** 9,35 **
569.  004511L 01010011 00010000              MBUSA  ,FCINDT
      004512L 00110111 00100110
570.  004513L 01010001 10110001              BRC    BINDEL,,$+3
      004514L 11001111 00101101
571,  004515L 11011111 01001111              BRA    FDRDTA
572,  004516L                       FDFINC
573.  004516L 01010001 10011000              BRC    CRCGENX,,FDF
      004517L 11001111 01010010
574.  004520L 11001110 11111111              NOOP
```

```
575,                                    *
576,                                    .       IND: (MAR) := TEMP := MBIN (MADR, FCINDT);   INPUT DOUBLE
577,                                    .            CRCGENX (TEMP);
578,                                    .            MAR := MAR + 1;
579,                                    .            EXIT (FDF);
580,                                    ** 6.15 **
581.  004521L 01010011 00010000                      MBUSAS ,FCINDT
      004522L 00110111 00100110
      004523L 00110111 00101001
582.  004524L 11001110 11111111                      MBIN   NOOP
      004525L 11011100 10101010
      004526L 00110001 00010101
583,  004527L 01101111 11110001                      LDRT   TEMP1
584,  004530L 11011111 10100001                      BRA    FDFINP
585,                                    .
586,                                                 IFNE   $,(8-1)*8+FDFCNS       RTNS * WORDS + OFFSET
588,                                                 XIF
589,                                    *
590,                                    .       INS: BINDEL (FDRDTA, (MAR) := TEMP);     INPUT SINGLE
591,                                    .            CRCGENX (TEMP);
592,                                    .            MAR := MAR + 1;
593,                                    .            EXIT (FDF);
594,  004531L                           FDFTBL
595,                                    ** 10.05 **
596.  004531L 01010011 00010000                      MBUSA  ,FCINDT
      004532L 00110111 00100110
597.  004533L 01010001 10100001                      BRC    BINDEL,,$+3
      004534L 11001111 00101101
598,  004535L 11011111 01001111                      BRA    FDRDTA
599,  004536L                           FDFINP
600,  004536L 00110111 00100001                      LDPT   MDW
601.  004537L 01010001 10011110                      BRC    CRCGENX
      004540L 11001111 01010010
602.  004541L 11010100 10011110                      MWAIT  ,MEMPF4
      004542L 11010111 10000110
603,  004543L 00110111 00001100                      STB    IMAR
604,  004544L 11011111 10011000                      BRA    FDF
605,                                    .
606,  004545L                           FDFIS                          (COMMON CODE ROUTINE)
607.  004545L 00110111 00001100                      STB    IMAR,SMR
      004546L 00110111 01000111
608.                                    .
```

```
609,                                    +
610,                                    . *
611,                                            IFNE    FDFCNS>8,$>8
613,                                            XIF
614,  004547L                           FDF
615,                                    . 1,45  REPEAT
616,                                    . 2,30  END     (WITHOUT SERVICE TO FDTEND)
617,                                    . 3,65  SERVICE
618,                                    .                                       (CARRY CLEARED BY CRCGEN)
619,                                    .                                       (OR FOR WPI BY FCN CALLER)
620,                                    .       URC := URC - 1;                         COUNT THE WORDS GOING BY
621.  004547L 00110001 11010010                   DOPIP   URO+URC,SB,1,URI+URC
      004550L 01010100 00000001
      004551L 00110111 10000010
622,                                    .       IF URC = 0
623,                                    .       THEN BEGIN
624,                                    .            MBSTAT := FDFLEND;                 END THE LOOPING
625,                                    .            URB := URB .XOR. 3                 MARK END PHASE NEXT
626,  004552L 11010010 10001111                   BRA     FDFNXT,FZ
627.  004553L 01010001 10001000                   BAL     MBSTAT,FDFLEND
      004554L 00000111 11110101
628.  004555L 00110001 11010001                   DOPIP   URO+URB,XR,3,URI+URB
      004556L 01010000 00000011
      004557L 00110111 10000001
629,                                    .           END
630,                                    .       IF SRVREQ = 0                       GO TO SERVICE SOMEBODY?
631,                                    .       THEN EXIT (MBSTAT);                 NO, KEEP ON GOING
632,  004560L                           FDFNXT
633,  004560L 11011100 10001111                     MBWAIT
634.  004561L 11010100 10001110                     MWAIT   ,MEMPF4
      004562L 11010111 10000110
635,  004563L 00110001 00110000                     TSTPT   FI,SRVREQ
636,  004564L 11010010 10001000                     BRA     FDFLEND,FZ
637,  004565L 00010001 10110011                     LDTR    MADR,CC
638,  004566L 10001111 00000101                     BRR     MBSTAT
639,  004567L                           FDFLEND
640,                                    .       IF SRVREQ <> 0                      WAS IT SERVICE OR THE END?
641,                                    .       THEN EXIT (SRVRPT);
642,                                    .       EXIT (FDTEND)
643,  004567L 00110001 00110000                     TSTPT   FI,SRVREQ
644,  004570L 11010011 01110010                     BRA     FDTEND,TZ
645,                                    .       MBSTAT := URH;                      RESTORE THE REGISTERS
646,                                    .       URHL := MAR;
647,                                    .       MAR := URDE;
648,                                    .       URDE := MCRC;
649,                                    .       MCRC := MAR;
650,                                    .
651,  004571L                           MEMPF4                          (RESTORE STATE CORRECTLY BEFORE MEMPF)
652,                                    .
653.  004571L 00110001 11010101                     LDRP    MBSTAT,URI+URH
      004572L 00000111 11110101
654.  004573L 00110001 11010110                     LDRP    MADR,URI+URL
```

```
                004574L 00000111 11110011
655:            004575L 00110001 10000110          DLDX    MR2HL
                004576L 00110001 10100101
656:            004577L 00110001 11010100          DLDRP   TEMP,URI+UDE
                004600L 01101111 11110010
                004601L 00110001 11010011
                004602L 01101111 11110001
657:            004603L 00010001 11110111          DLDPR   URO+UDE,MCRC
                004604L 00110111 10000100
                004605L 00010001 11110110
                004606L 00110111 10000011
658:            004607L 01110001 11110010          DLDRR   MCRC,TEMP
                004610L 00000111 11110111
                004611L 01110001 11110001
                004612L 00000111 11110110
659:          >004613L 01011001 11111111          BRAX    SRVRPT              (WILL DO MEMPF INDIRECTLY IF NEEDED)
              >004614L 11001111 11111111
660:
661:                                        .     END FDFCNS;
                                            .
```

```
664,
665,  004615L                          *
666,                                   FDTEND
667,                                   . 11,70 INPUT-VERIFY
668,                                   . 10,60 OUTPUT
669,                                   .  6,60 WPI
670,                                   .  1,35 MOUT          (ALL TO FDTFIN)
671,                                   .       BEGIN
672,                                   .       CASE URB .AND. FDMASK OF
673.  004615L 00110001 11010001        .       0, 1, 2, 3:    BEGIN
      004616L 01000101 00100000                  TSTIP  ,FDNINV,URI+URB
674,  004617L 11010010 01011111                  BRA    FDEOT,FZ
675,                                   .             BINDEL (FDRDTA, TEMP);          GET NEXT BYTES FOR INPUTS
676,                                   .             IF TEMP <> URD
677,                                   .             THEN EXIT (FDRCRC);             CRC NOT MATCH
678,                                   .             BINDEL (FDRDTA, TEMP);
679,                                   .             IF TEMP <> URE
680,                                   .             THEN EXIT (FDRCRC);             CRC NOT MATCH
681.  004620L 00010001 11110011        .           MBUSAW MADR,FCINDT
      004621L 01010011 00010000
      004622L 11011100 01101101
      004623L 00110111 00100110
682.  004624L 01010001 01101000                  BRC    BINDEL,,$+3
      004625L 11001111 00101101
683,  004626L 11011111 01001111                  BRA    FDRDTA
684,  004627L 00010000 11000110                  TSTRT  XR,MCRCH
685,  004630L 11010010 01001100                  BRA    FDRCRC,FZ
686.  004631L 01010001 01100011                  BRC    BINDEL,,$+3
      004632L 11001111 00101101
687,  004633L 11011111 01001111                  BRA    FDRDTA
688,  004634L 00010000 11000111                  TSTRT  XR,MCRCL
689,  004635L 11010010 01001100                  BRA    FDRCRC,FZ
690,  004636L                          FDTFIX
691.  004636L 01011001 11110100                  BRAX   FDTFIN
      004637L 11011111 01110011
692,                                   .             END;
693,  004640L                          FDEOT
694,                                   .       4, 5: BEGIN
695,  004640L 01000101 00010000                  TSTIT  ,FDNOT
696,  004641L 11010010 01010001                  BRA    FDEWPIX,FZ
697,                                   .             BOTINS (URD);                   OUTPUT CRC BYTES
698,                                   .             BOTINS (URE);
699.  004642L 00010001 11110011        .           MBUSAW MADR,FCOUTC
      004643L 01010011 10100000
      004644L 11011100 01011011
      004645L 00110111 00100110
700.  004646L 00010001 11110110                  LDRR   TEMP1,MCRCH
      004647L 01101111 11110001
701.  004650L 01010001 01010101                  BRC    BOTINS
      004651L 11011111 11111111
702.  004652L 00010001 11110111                  LDRR   TEMP1,MCRCL
      004653L 01101111 11110001
```

```
703.  004654L 01010001 01100001          BRC    BOTINS,,FDTFIX
      004655L 11011111 11111111
704.                                .          END;
705.                                .      6: EXIT (FDEWPI);
706.  004656L 01011001 11110100     FDEWPIX  BRAX   FDEWPI                  (WRITE THE FINAL POSTAMBLE)
      004657L 11011111 10011000
707.                                .      7:   ;
708.                                .      END CASE;
709.                                .      EXIT (FDTFIN)
710.                                .      END FDTEND;
711.                                *
712.  004660L                       FDRDTA
713.                                .      BEGIN
714.                                .      LUF := 0202 + 0202;
715.                                .      EXIT (FENDIR)
716.  004660L 01010001 10000010          LDTI   0202
717.  004661L 01011001 11110100          BRAX   FENDIR
      004662L 11011111 01101111
718.                                .      END FDRDTA;
719.                                *
720.  004663L                       FDRCRC
721.                                .      BEGIN
722.                                .      LUF := 0300 + 0300;
723.                                .      EXIT (FENDIR)
724.  004663L 01010001 11000000          LDTI   0300
725.  004664L 01011001 11110100          BRAX   FENDIR
      004665L 11011111 01101111
726.                                .      END FDRDTA;
```

```
729,                                    *
730,  004666L                           HDRERD
731,                                    . 9.00                                  RE-READ HEADER DISABLING ANY PREV. I/O
732,                                    .       BEGIN
733,                                    .       MBUS (MADR, FCLEAR, FKRWMF);
734,                                    .       EXIT (HDREAD)
735.  004666L 00010001 11110011                   MBUS   MADR,FCLEAR,FKRWMF     (NO POINTER FUNNIES CAN HAPPEN NOW)
      004667L 01010011 00110000
      004670L 11011100 01000111
      004671L 00110111 00100110
      004672L 01010001 00100000
      004673L 00110111 00100111
      004674L 00110111 00101001
736,                                    .       END HDRERD;
737,  004675L                           HDREAD
738,                                    . 7.95   (OR 4.25 IF OFFLINE)
739,                                    .       BEGIN                                   SELECT CORRECT DRIVE
740,                                    .       IF NOT FSONLN IN MBIN (MADR, FCINST)
741,                                    .       THEN EXIT (FXIOER);
742.  004675L 00010001 11110011                   MBUS   MADR,FCINST
      004676L 11011100 01000001
      004677L 00110111 00100110
      004700L 00110111 00101001
743,  004701L 01010001 00000001                   LDTI   FSONLN
744.  004702L 11011100 00111101                   MBTIN
      004703L 00110101 00010101
745,                                              IFNE   $>9,FXIOER>9
747,                                              XIF
748,  004704L 11000011 11101101                   BRA    FXIOER,TZ
749,                                    :
750,                                    :       MBUS (MADR, FCOSYM, SADUAL>8);          SET THE SYNC WORD
751,                                    :       MBUS (MADR, FCOSYL, SADUAL);
752,                                    :       MBUS (MADR, FCOTDP, FPTHDR>1);          SET DISK BUFFER POINTER
753.  004705L 00010001 11110011                   MBUS   MADR,FCOSYM,SADUAL>8     (JF,BR WASTED)
      004706L 01010011 01100000
      004707L 11011100 00111000
      004710L 00110111 00100110
      004711L 01010001 11110101
      004712L 00110111 00100111
      004713L 00110111 00101001
754.  004714L 00010001 11110011                   MBUS   MADR,FCOSYL,SADUAL
      004715L 01010011 01110000
      004716L 11011100 00110001
      004717L 00110111 00100110
      004720L 01010001 01111110
      004721L 00110111 00100111
      004722L 00110111 00101001
755.  004723L 00010001 11110011                   MBUS   MADR,FCOTDP,FPTHDR>1
      004724L 01010011 01000000
      004725L 11011100 00101010
      004726L 00110111 00100110
      004727L 01010001 00000000
```

```
                004730L 00110111 00100111
                004731L 00110111 00101001
    756;
    757;                        .       MBUS (MADR, FCOINT, FMINDX+FMTROK+FMTRER);  INTERRUPTS SET
    758;                        .       MCRC := SACRC;                              INIT CRC
    759;                        .       MBUS (MADR, FCLEAR, FKMAST+FKLON);   CLEAR INTERRUPTS & TURN LIGHTS ON
    760;                        .       MBSTAT := HDRCHK;
    761.  004732L 01010001 00100001     .       MBUS (MADR, FCRHDR, FPLHDR>1);              READ IN HEADER
                004733L 00000111 11110111          LDRI    MCRCL,SACRC
    762.  004734L 00010001 11110011          MBUS    MADR,FCOINT,FMINDX+FMTROK+FMTRER
                004735L 01010011 10110000
                004736L 11011100 00100001
                004737L 00110111 00100110
                004740L 01010001 00001101
                004741L 00110111 00100111
                004742L 00110111 00101001
    763.  004743L 01010001 11101111          LDRI    MCRCH,SACRC>8
                004744L 00000111 11110110
    764.  004745L 00010001 11110011          MBUS    MADR,FCLEAR,FKMAST+FKLON
                004746L 01010011 00110000
                004747L 11011100 00011000
                004750L 00110111 00100110
                004751L 01010001 10111111
                004752L 00110111 00100111
                004753L 00110111 00101001
    765.  004754L 01010001 10111000          BAL     MBSTAT,HDRCHK
                004755L 00000111 11110101
    766.  004756L 00010001 11110011          MBUS    MADR,FCRHDR,FPLHDR>1
                004757L 01010011 11000000
                004760L 11011100 00001111
                004761L 00110111 00100110
                004762L 01010001 00000111
                004763L 00110111 00100111
                004764L 00110111 00101001
    767;                        .       RETURN (SRVBSN)
    768. >004765L 01011001 11111111     .         BRAX    SRVBSN
       >004766L 11001111 11111111
    769;                        .       END HDREAD;
    770;                        .
    771.  004767L 11111111 11111111          TABPAGE FLEXL
                004770L 11111111 11111111
                004771L 11111111 11111111
                004772L 11111111 11111111
                004773L 11111111 11111111
                004774L 11111111 11111111
                004775L 11111111 11111111
                004776L 11111111 11111111
                004777L 11111111 11111111
```

START TO PERFORM THE ACTUAL DATA READ OR WRITE OPERATION

```
774,
775,  005000L                          *
776,                                   HDROK
777,                                   .       MBUS (MADR, FCOINT, FMTROK + FMTRER + FMINDX);  IT WAS, IT WAS!
778,                                   .       MBSTAT := DONIO;                                WHAT KIND OF ACTION?
779,                                   .       MBUS (MADR, FCLEAR, FKMAST + FKLON);            READY - LIGHTS
      005000L 00010001 11110011                  MBUS   MADR,FCOINT,FMTROK+FMTRER+FMINDX     (JF,BR WASTED)
      005001L 01010011 10110000
      005002L 11001100 11111101
      005003L 00110111 00100110
      005004L 01010001 00001101
      005005L 00110111 00100111
      005006L 00110111 00101001
780,  005007L 01010001 11101011                  BAL    MBSTAT,DONIO
      005010L 00000111 11110101
781,  005011L 00010001 11110011                  MBUS   MADR,FCLEAR,FKMAST+FKLON
      005012L 01010011 00110000
      005013L 11001100 11110100
      005014L 00110111 00100110
      005015L 01010001 10111111
      005016L 00110111 00100111
      005017L 00110111 00101001
782,                                   .       IF FFREAD IN MBITS
783,                                   .       THEN EXIT (DOREAD)                              READ IF THAT WHAT WANTED
784,                                   .       ELSE IF FFWRITE IN MBITS
785,                                   .            THEN EXIT (DOWRITE)                        WRITE IF THAT WHAT WANTED
786,                                   .            ELSE IF FFWDCG IN MBITS
787,                                   .                 THEN EXIT (DOWDCG)                    DO D.C. GAP SIMILARLY
788,                                   .                 ELSE EXIT (HDREAD)                    DOES NOTHING EXCEPT
789,                                   .                                                       SYNC INDEX PULSES
790,  005020L 00010001 11110100                  TSTIR  ,FFRMSK,MBITS
      005021L 01000101 00100000
791,  005022L 11000010 10100011                  BRA    DOWRITE,FZ
792,                                   .         BRA    DOREAD
793,                                   .       END FXIO;
794,                                   *
795,  005023L                          DOREAD
796,                                   ** 25.75 **
797,                                   .    +    0.40 IF SECTOR ZERO - 0.10 IF DELETED DATA + 3.05 IF DOUBLE DENSITY
798,                                   .       BEGIN
799,                                   .       IF FFDBL IN MBITS                               DOUBLE DENSITY?
800,  005023L 01000101 00001000                  TSTIT  ,FFDBL
801,  005024L 11000011 11011001                  BRA    RDSGL,TZ
802,                                   .       THEN BEGIN
803,                                   .            MBUS (MADR, FCOTUP, FPTRDTA>1);            MUST DO SPECIAL CHECK
804,                                   .            MBUS (MADR, FCOINT, FMINDX+FMTROK+FMTRER+FMPNTR);
805,                                   .            MBSTAT := DBLRED
806,  005025L 00010001 11110011                  MBUS   MADR,FCOTUP,FPTRDTA>1  (DON'T WANT DATA, JUST INTERRUPT)
      005026L 01010011 01010000
      005027L 11001100 11101000
      005030L 00110111 00100110
      005031L 01010001 00111111
      005032L 00110111 00100111
```

```
                005033L 00110111 00101001
807:            005034L 00010001 11110011          MBUS   MADR,FCOINT,FMINDX+FMTROK+FMTRER+FMPNTR
                005035L 01010011 10110000
                005036L 11001100 11100001
                005037L 00110111 00100110
                005040L 01010001 00011101
                005041L 00110111 00100111
                005042L 00110111 00101001
808:            005043L 01010001 11010100          BAL    MBSTAT,DBLRED
                005044L 00000111 11110101
809:            005045L 00010001 11110100          LDTR   MBITS                  (RELOAD BITS TO TEST)
810:                                          .        END;
811:            005046L                       RDSGL
812:                                          .    IF FFRDLTD IN MBITS                    DELETED DATA SECTOR?
813:            005046L 01000101 00010000          TSTIT  ,FFRDLTD
814:            005047L 11000011 11001000          BRA    RDNORM,TZ
815:                                          .    THEN BEGIN
816:                                          .        MBUS (MADR, FCOSYM, SMDUAL>8);    YES, LOOK FOR IT
817:                                          .        MBUS (MADR, FCOSYL, SMDUAL)
818:            005050L 00010001 11110011          MBUS   MADR,FCOSYM,SMDUAL>8
                005051L 01010011 01100000
                005052L 11001100 11010101
                005053L 00110111 00100110
                005054L 01010001 11110101
                005055L 00110111 00100111
                005056L 00110111 00101001
819:            005057L 00010001 11110011          MBUS   MADR,FCOSYL,SMDUAL
                005060L 01010011 01110000
                005061L 11001100 11001110
                005062L 00110111 00100110
                005063L 01010001 01101010
                005064L 00110111 00100111
                005065L 00110111 00101001
820:            005066L 11001111 10111010          BRA    RDDLTD
821:                                          .        END
822:                                          .    ELSE BEGIN
823:            005067L                       RDNORM
824:                                          .        MBUS (MADR, FCOSYM, SDDUAL>8);    NO, NORMAL DATA
825:                                          .        MBUS (MADR, FCOSYL, SDDUAL)
826:            005067L 00010001 11110011          MBUS   MADR,FCOSYM,SDDUAL>8
                005070L 01010011 01100000
                005071L 11001100 11000110
                005072L 00110111 00100110
                005073L 01010001 11110101
                005074L 00110111 00100111
                005075L 00110111 00101001
827:            005076L 00010001 11110011          MBUS   MADR,FCOSYL,SDDUAL
                005077L 01010011 01110000
                005100L 11001100 10111111
                005101L 00110111 00100110
                005102L 01010001 01101111
                005103L 00110111 00100111
```

```
                005104L 00110111 00101001
    828.
    829.        005105L                          .          END;
    830.                                         RDDLTD
    831.                                         .      MBUS (MADR, FCOTDP, FPTRDTA>1);        POINT TO INPUT BUFFER
    832.                                         .      MBUS (MADR, FCLEAR, FKMAST);           CLEAR PNTR INTERRUPT THAT SET
    833.                                         .      MBUS (MADR, FCRTIM, FPLRDTA>1);        READ - IF NOT TOO LATE
    834.        005105L 00010001 11110011        .      RETURN (SRVBSN)
                005106L 01010011 01000000                  MBUS   MADR,FCOTDP,FPTRDTA>1
                005107L 11001100 10111000
                005110L 00110111 00100110
                005111L 01010001 00111111
                005112L 00110111 00100111
                005113L 00110111 00101001
    835.        005114L 00010001 11110011                  MBUS   MADR,FCLEAR,FKMAST
                005115L 01010011 00110000
                005116L 11001100 10110001
                005117L 00110111 00100110
                005120L 01010001 00111111
                005121L 00110111 00100111
                005122L 00110111 00101001
    836.        005123L 00010001 11110011                  MBUS   MADR,FCRTIM,FPLRDTA>1
                005124L 01010011 11010000
                005125L 11001100 10101010
                005126L 00110111 00100110
                005127L 01010001 10000011
                005130L 00110111 00100111
                005131L 00110111 00101001
    837.      >005132L 01011001 11111111                  BRAX   SRVBSN
              >005133L 11001111 11111111
    838.                                         .      END DOREAD;
```

START TO PERFORM THE ACTUAL DATA READ OR WRITE OPERATION

```
839,                                    +
840,                                    *
841,  005134L                           DOWRITE
842,  005134L 01000101 00010000                 TSTIT  ,FFWMSK
843,  005135L 11000010 01110000                 BRA    DOWDCG,FZ
844,                                    .       BRA    DOWRITE
845,                                    . 24.05 + 0.10 IF WRITE DOUBLE DENSITY  (FROM HDRCRC)
846,                                    .      BEGIN
847,                                    .      MBUS (MADR, FCOMOD,
848,                                    .           ((F043MGC + MDSKT) .AND. F043MSK) +
849,                                    .           ((MBITS .AND. FRDRV) + FODR0)));    SET CORRECT BIAS CURRENT
850,                                    .
851,  005136L 01010001 01010100                 DOTRI  ,AC,MDSKT,F043MGC,C0   BIT 6 <= 43 & BIT 7 > 43
      005137L 00010010 00111001
852,  005140L 01010101 11000000                 DORI   TEMP1,ND,F043MSK
      005141L 01101111 11110001
853,  005142L 00010001 11110100                 DOTIR  ,ND,FRDRV,MBITS
      005143L 01010101 00000001
854,  005144L 11001100 10011011                 MBWAIT
855,  005145L 01110010 01110001                 DOPR   MIFDAT,AC,TEMP1,,C1    (C1 TO ADD FODR0)
      005146L 00110111 00100111
856,  005147L 00010001 11110011                 MBUS   MADR,FCOMOD            (JF,BR WASTED)
      005150L 01010011 10010000
      005151L 11001100 10010110
      005152L 00110111 00100110
      005153L 00110111 00101001
857,                                    .       IF FFSGL IN MBITS                       SINGLE DENSITY?
858,  005154L 00010001 11110100                   TSTIR  ,FFDBL,MBITS
      005155L 01000101 00001000
859,  005156L 11000010 10000000                   BRA    WDBL,FZ
860,                                    .       THEN BEGIN
861,                                    .            MBUS (MADR, FCOTDP, FPTWSGL>1);    WAS SINGLE, DO IT!
862,                                    .            MBUS (MADR, FCWRTN, FPLWSGL>1)
863,  005157L 00010001 11110011                   MBUS   MADR,FCOTDP,FPTWSGL>1
      005160L 01010011 01000000
      005161L 11001100 10001110
      005162L 00110111 00100110
      005163L 01010001 00110111
      005164L 00110111 00100111
      005165L 00110111 00101001
864,  005166L 00010001 11110011                   MBUS   MADR,FCWRTN,FPLWSGL>1
      005167L 01010011 11100000
      005170L 11001100 10000111
      005171L 00110111 00100110
      005172L 01010001 10001100
      005173L 00110111 00100111
      005174L 00110111 00101001
865, >005175L 01011001 11111111                   BRAX   SRVBSN
     >005176L 11001111 11111111
866,                                    .            END
867,                                    .       ELSE BEGIN
868,  005177L                           WDBL
```

START TO PERFORM THE ACTUAL DATA READ OR WRITE OPERATION

```
869.                                    .           MBUS (MADR, FCOTDP, FPTWDBL>1);     WAS DOUBLE, DO IT!
870.                                    .           MBUS (MADR, FCWDGP, FPLWDBL>1)
871.  005177L 00010001 11110011                    MBUS   MADR,FCOTDP,FPTWDBL>1
      005200L 01010011 01000000
      005201L 11001100 01111110
      005202L 00110111 00100110
      005203L 01010001 00111001
      005204L 00110111 00100111
      005205L 00110111 00101001
872.  005206L 00010001 11110011                    MBUS   MADR,FCWDGP,FPLWDBL>1
      005207L 01010011 11110000
      005210L 11001100 01110111
      005211L 00110111 00100110
      005212L 01010001 10001010
      005213L 00110111 00100111
      005214L 00110111 00101001
873. >005215L 01011001 11111111                    BRAX   SRVBSN
     >005216L 11001111 11111111
874.                                    .           END;
875.                                    .       RETURN (SRVBSN)
876.                                    .       END DOWRITE;
877.                                    *
878.  005217L                           DOWDCG
879.  005217L 11001100 01110000                    MBWAIT
880.  005220L 01011001 11110110                    BPGX   HDREAD
881.  005221L 01000101 00001000                    TSTIT  ,FFSMSK
882.  005222L 11010010 01000010                    BRA    HDREAD,FZ                    SYNC IS: READ NEXT HEADER
883.                                    .           BRA    DOWDCG
884.                                    .                                               WRITE D.C. GAP
885.                                    .       BEGIN
886.                                    .       MBUS (MADR, FCWDCG);                    DO IT!
887.                                    .       RETURN (SRVBSN)
888.  005223L 00010001 11110011                      MBUSAS MADR,FCWDCG          (DOES NO MWAIT'S ELSE PROBLEMS)
      005224L 01010011 10000000
      005225L 00110111 00100110
      005226L 00110111 00101001
889. >005227L 01011001 11111111                      BRAX   SRVBSN
     >005230L 11001111 11111111
890.                                    .       END DOWDCG;
```

```
893;
894;  005231L                          FXIO:
895;                                   ; 19,60 - FDCMD
896;                                   ;       - FDDATA DOCUMENTED THROUGH THE CODE
897;                                   ;
898;                                   ;     BEGIN
899;                                   ;     IF SWUSER IN PSW                          ONLY IF PRIV'D
900;                                   ;     THEN EXIT (IVIOL$);
901;  005231L 00110001 11011100              TSTIP  ,SWUSER,PSWI
       005232L 01000101 00000100
902;  005233L 11010010 00101001              BRA    IVIOL5,FZ
903;                                   ;     IF NOT ZERO IMP
904;  005234L 11001001 00111100              BRA    FDATA,T0,IZ
905;                                   ;     THEN BEGIN                                DO 111 141 INSTRUCTION
906;                                   ;          IF FRBUSY IN MBITS                   AND NOT DOING ANYTHING ELSE
907;                                   ;          THEN EXIT (NOTYET);
908;  005235L 00010001 11110100              TSTIR  ,FRBUSY,MBITS
       005236L 01000101 00000010
909;  005237L 11000010 00011101              BRA    NOTYET,FZ
910;                                   ;        PC := MAR + 1;                         CORRECT PC FOR SPECIAL EXIT
911;  005240L 00110111 00001100              STB    IMAR
912;  005241L 00110001 10001001              DLDX   MR2PC
       005242L 00110001 10101000
913;                                   ;        MTRAK := URD;                          GET TRACK NUMBER
914;                                   ;        MSECT := URE;                          GET SECTOR NUMBER
915;                                   ;        MADR := URA .AND. 017;                 GET ADDRESS OF DEVICE
916;                                            IFC    APF
919;                                            XIF
920;                                            IFS    APF
921;  005243L 01010001 01100111              DLDPI  MARO,SVMTRAK
       005244L 00110111 11000000
       005245L 01010001 11101111
       005246L 00110111 11100000
922;  005247L 00110001 11010011              LDPP   MDW,URI+URD
       005250L 00110111 00100001
923;                                            XIF
924;  005251L 00110001 11010000              DORIP  MADR,ND,017,URI+URA,CC
       005252L 01010101 00001111
       005253L 00000111 10110011
925;                                   ;        MBITS := (URC .AND. 1) .XOR. (FRBUSY + FRDR0)
926;                                   ;              + (URB .AND. FFMASK);            GET DRIVE AND FUNCTION
927;                                   ;        IF FFSYNC IN URB                       IF JUST WANT INDEX SYNC
928;                                   ;        THEN MBITS := MBITS .OR. (FRIXCT +  FRIXCX);   SET TO THIRD REV
929;  005254L 00110001 11010010              DOTIP  ,ND,FRDRV,URI+URC
       005255L 01010101 00000001
930;  005256L 01010000 00000011              DORI   MBITS,XR,FRBUSY+FDDR0,,CC
       005257L 00000111 10110100
931;  005260L 00110001 11010001              DOTIP  ,ND,FFMASK,URI+URB
       005261L 01010101 00111000
932;  005262L 01000000 00111000              TSTIT  XR,FFSYNC
933;  005263L 11000010 01001010              BRA    FXIO1,FZ
934;  005264L 01010011 11000000              DOTI   ,OR,FRIXCT+FRIXCX
```

```
935,  005265L
936,  005265L 00010011 11110100          FXIO1
      005266L 00000111 11110100                 DORR   MBITS,OR,MBITS
937,
938,                                     .           MBSTAT := HDRERD;                ENTER THROUGH FRONT DOOR
939,                                     .           IAKCODE := 0;                    AS IF GOT INTERRUPT
940,                                     .                                            DONE FOR INITIAL DRIVE SELECT
941,                                     .           IMP := FLAGS := 0;               MARK START TO DO IT
942,  005267L 01010001 11101110          .           EXIT (MBSTRT)                    GO READ FIRST HEADER
      005270L 00000111 10110101                  BAL    MBSTAT,HDSTRT,CC       (STATE IS TO RE-DO HEADER READ)
943,
944,  005271L 11000100 01000110                  IFS    APF
      005272L 11010111 00010110                  MWAIT  ,MEMPF5
945,  005273L 00110111 00001101                  STB    DMAR                   (WRITE DESIRED SECTOR # IN MEMORY)
946,  005274L 00110001 11010100                  LDPP   MDW,URI+URE
      005275L 00110111 00100001
947,
948,                                             XIF
949,  005276L 01010001 00000000                  LDPI   LIMP,0                 (T-REG MUST BE 0 AT MBSTRT)
      005277L 00110111 00000001
950,  005300L 00110111 00000110                  LDPT   LUF
951,  005301L 01011001 11110111                  BRAX   MBSTRT                 (ENTERS WITH IAKODE OF ZERO)
      005302L 11001111 11111111
952,                                     . 4,15 (NO FETCH)
953,                                     .           END
954,                                     *
955,                                     .      ELSE BEGIN
956,                                     .           IF URB <> FDOUT
957,                                     .           THEN BEGIN
958,                                     .                IF FRBUSY IN MBITS
959,                                     .                THEN EXIT (NOTYET);
960,                                     .                MADR := URA .AND. 017;
961,                                     .                END;
962,                                               IFS    APF
963,  005303L                            FDATA
964,                                     . 4,15 - STARTUP - ,55 IF 070 - OUT
965,  005303L 00110001 11010001                    DOTIP  ,ND,FFMASK,URI+URB
      005304L 01010101 00111000
966,  005305L 01000000 00111000                  TSTIT  XR,FDOUT
967,  005306L 11000011 00110101                  BRA    FDATA1,TZ
968,                                             XIF
969,                                             IFC    APF
972,                                             XIF
973,  005307L 00010001 11110100                  TSTIR  ,FRBUSY,MBITS
      005310L 01000101 00000010
974,  005311L 11000010 00011101                  BRA    NOTYET,FZ
975,  005312L                            FDATA1
976,                                     .           MAR := URDE;                     SAVE THE REGISTERS
977,                                     .           URDE := MCRC;
978,                                     .           MCRC := MAR;
979,                                     .           MAR := URHL;
980,                                     .           URH := MBSTAT;
```

```
 981;
 982.  005312L 00110001 11000100          .          URL := MADR;
        005313L 00110001 11100011                  DLDX   DE2MR
 983.  005314L 00010001 11110111                  DLDPR  URD+UDE,MCRC
        005315L 00110111 10000100
        005316L 00010001 11110110
        005317L 00110111 10000011
 984.  005320L 00110001 10010000                  DLDRP  MCRC,MARI
        005321L 00000111 11110111
        005322L 00110001 10110000
        005323L 00000111 11110110
 985.  005324L 00110001 11000110                  DLDX   HL2MR
        005325L 00110001 11100101
 986.  005326L 00010001 11110011                  LDPR   URD+URL,MADR
        005327L 00110111 10000110
 987.  005330L 00010001 10110101                  LDPR   URD+URH,MBSTAT,,CC     (SAVE MBSTAT FOR INTERRUPT ROUTINE)
        005331L 00110111 10000101
 988.  005332L 00110001 11010000                  DORIP  MADR,ND,017,URI+URA
        005333L 01010101 00001111
        005334L 00000111 11110011
 989;
 990.  005335L 00110001 11010001          .          CASE URB .AND. FDSMSK OF          141 = FDATA INSTRUCTION
        005336L 01010101 00000011                  DOTIP  ,ND,FDSMSK,URI+URB
 991.  005337L 01010010 00010101                  DORA   LINK,AC,FDTBL,,CC      (CC FOR FDTFCN AT LEAST)
        005340L 01101111 10110000
 992.  005341L 11101111 00000000                  BRR    LINK
 993;                                     .             3:  EXIT (FDTFIN);
 994;                                     .             2:  EXIT (FDTEND);
 995;                                     .             1:  EXIT (FDTFCN);
 996;                                     .             0:  EXIT (FDINIT);
 997;                                     .             END CASE
 998;                                     .
 999;                                     *
1000.  005342L                            NOTYET
1001;                                     . 3.95 INCL IFETCH
1002;                                     .      LUF := 0200 + 0200;          ERRORS, DID NOTHING
1003;                                     .      EXIT (FENDIT)
1004.  005342L 01010001 10000000                   LDRI   TEMP1,0200
        005343L 01101111 11110001
1005.  005344L 11011111 01011110                   BRA    FENDIT
1006.                                     .      END NOTYET;                  CARRY TRUE, ZERO TRUE
```

```
1007;
1008;  005345L                          *
1009;  005345L 01011001 11110110         FDTENX
       005346L 11011111 01110010                 BRAX   FDTEND
1010;
1011;  005347L 11011111 01110011 * (TABLE NOT TOTALED IN TIMING)
1012;  005350L 11001111 00011010                 BRA    FDTFIN
1013;  005351L 11011111 10100101                 BRA    FDTENX
1014;  005352L                                   BRA    FDTFCN
1015;                                  FDTBL
1016;                                  .        BRA    FDINIT
                                       .      END FXIO;
```

```
1017,                                  +
1018,                                  *
1019,  005352L                         FDINIT
1020,                                  . 7,65 +,10 IF DLTD (00,10,20,30), 7,20 (40,50), 11,30 (60), ,70 (70)
1021,                                  .      BEGIN
1022,                                  .      URB := URB .OR. 1;                        MARK FOR FDATAFCN STATE
1023,                                  .      IF URB = FDOUT .OR. 1                     MOUT OPERATION?
1024,                                  .      THEN EXIT (FDTFCN);
1025,  005352L 00110001 11010001               DOPIP  URO+URB,OR,1,URI+URB
       005353L 01010011 00000001
       005354L 00110111 10000001
1026,  005355L 01000000 00111001               TSTIT  XR,FDOUT+1
1027,  005356L 11010011 10100101               BRA    FDTFCN,TZ
1028,                                  .      IF URB = FDWPI .OR. 1                     PREAMBLE INITIALIZE??
1029,                                  .      THEN BEGIN
1030,  005357L 01000000 00110001               TSTIT  XR,FDWPI+1
1031,  005360L 11010010 11110010               BRA    FDREG,FZ
1032,                                  .         MBUS (MADR, FCOTUP, FPTWSGL>1);        POINT TO INIT AREA
1033,                                  .         URC := 12;                             12  BYTES IN SYNC AREA
1034,  005361L 00010001 11110011               MBUS   MADR,FCOTUP,FPTWSGL>1
       005362L 01010011 01010000
       005363L 11001100 00001100
       005364L 00110111 00100110
       005365L 01010001 00110111
       005366L 00110111 00100111
       005367L 00110111 00101001
1035,  005370L 01010001 00001100               LDPI   URO+URC,12
       005371L 00110111 10000010
1036,                                  .         FOR I = 1 TO 4
1037,                                  .         DO   MBUS (MADR, FCOUTC, 0377);        INIT D.C. GAP AREA
1038,  005372L 01010001 11111100               LDRI   TEMP1,-4
       005373L 01101111 11110001
1039,  005374L                         FDTINI
1040,                                          RPT    5                                 (DELAY FOR 2 MICRO-SECONDS)
1041,  005374L 11001111 00000010               BRA    $+1                               (BETWEEN BUFFER WRITES)
1041,  005375L 11001111 00000001               BRA    $+1                               (BETWEEN BUFFER WRITES)
1041,  005376L 11001111 00000000               BRA    $+1                               (BETWEEN BUFFER WRITES)
1041,  005377L 11011111 11111111               BRA    $+1                               (BETWEEN BUFFER WRITES)
1041,  005400L 11011111 11111110               BRA    $+1                               (BETWEEN BUFFER WRITES)
1042,  005401L 00010001 11110011               MBUS   MADR,FCOUTC,0377
       005402L 01010011 10100000
       005403L 11011100 11111100
       005404L 00110111 00100110
       005405L 01010001 11111111
       005406L 00110111 00100111
       005407L 00110111 00101001
1043,  005410L 01110001 11110001               INCR   TEMP1,TEMP1
       005411L 01101110 01110001
1044,  005412L 11000010 00000011               BRA    FDTINI,FZ
1045,                                  .         EXIT (FDTFCN)
1046,  005413L 00010111 10110010               CCLR
1047,  005414L 11011111 10100101               BRA    FDTFCN
```

```
1048;
1049;  005415L                                  .           END;
1050;                                          FDREG
1051;                                          .       IF FDDBL IN URB
1052;                                          .       THEN URC := 0       256 ;          256 DATA BYTES
1053;  005415L 01010101 00001000               .       ELSE URC := 128;                   128 DATA BYTES
1054;  005416L 11010010 11101111                       TSTIT  ND,FDDBL,,,TW
1055;  005417L 01010001 10000000                       BRA    FDRDBL,FZ
1056;  005420L                                         LDTI   128
1057;  005420L 01010101 10000000              FDRDBL
       005421L 00110111 10000010                       DOPI   URO+URC,ND,128
1058;
1059;  005422L 00010001 11110011               .       MBUS (MADR, FCOTUP, FPTRDTA>1);    POINT TO SYNC BYTES
       005423L 01010011 01010000                       MBUS   MADR,FCOTUP,FPTRDTA>1
       005424L 11011100 11101011
       005425L 00110111 00100110
       005426L 01010001 00111111
       005427L 00110111 00100111
       005430L 00110111 00101001
1060;                                          .       IF FDLTD IN URB
1061;                                          .       THEN BEGIN
1062;                                          .            URDE := SMCRC;                INIT CRC FOR DELETED DATA
1063;                                          .            TEMP := SMDUAL                INIT SYNC BYTES ALSO
1064;                                          .            END
1065;                                          .       ELSE BEGIN
1066;                                          .            URDE := SDCRC;                INIT CRC FOR NORMAL DATA
1067;                                          .            TEMP := SDDUAL                INIT SYNC BYTES ALSO
1068;                                          .            END;
1069;  005431L 00110001 11010001                       TSTIP  ,FDLTD,URI+URB
       005432L 01000101 00000100
1070;  005433L 11010011 11011011                       BRA    FDTNRM,TZ
1071;  005434L 01010001 11100111                       DLDRI  MCRC,SMCRC
       005435L 00000111 11110111
       005436L 01010001 10001111
       005437L 00000111 11110110
1072;  005440L 01010001 01101010                       LDRI   TEMPL,SMDUAL
       005441L 01101111 11110010
1073;  005442L 01010001 11110101                       LDTI   SMDUAL>8
1074;  005443L 11011111 11010100                       BRA    FDTLTD
1075;  005444L                               FDTNRM
1076;  005444L 01010001 10000100                       DLDRI  MCRC,SDCRC
       005445L 00000111 11110111
       005446L 01010001 10111111
       005447L 00000111 11110110
1077;  005450L 01010001 01101111                       LDRI   TEMPL,SDDUAL
       005451L 01101111 11110010
1078;  005452L 01010001 11110101                       LDTI   SDDUAL>8
1079;  005453L                               FDTLTD
1080;  005453L 01101111 11110001                       LDRT   TEMPH
1081;                                          .       IF FDOUT IN URB
1082;  005454L 00110001 11010001                       TSTIP  ,FDNINV,URI+URB
       005455L 01000101 00100000
```

```
1083  005456L 11010011 10111010                BRA    FDTINVR,TZ
1084                                          .   THEN BEGIN
1085                                          .       MBUS (MADR, FCOUTC, TEMPH);          OUTPUT SYNC BYTE MSB
1086                                          .       MBUS (MADR, FCOUTC, TEMPL)           AND SYNC LSB
1087  005457L 00010001 11110011                      MBUS   MADR,FCOUTC,,TEMPH
      005460L 01010011 10100000
      005461L 11011100 11001110
      005462L 00110111 00100110
      005463L 01110001 11110001
      005464L 00110111 00100111
      005465L 00110111 00101001
1088                                                 RPT    7                        (2 MICRO-SECOND DELAY NEEDED)
1089  005466L 11011111 11001000                     BRA    $+1
1089  005467L 11011111 11000111                     BRA    $+1
1089  005470L 11011111 11000110                     BRA    $+1
1089  005471L 11011111 11000101                     BRA    $+1
1089  005472L 11011111 11000100                     BRA    $+1
1089  005473L 11011111 11000011                     BRA    $+1
1089  005474L 11011111 11000010                     BRA    $+1
1090  005475L 00010001 10110011                     MBUS   MADR,FCOUTC,,TEMPL,CC
      005476L 01010011 10100000
      005477L 11011100 11000000
      005500L 00110111 00100110
      005501L 01110001 10110010
      005502L 00110111 00100111
      005503L 00110111 00101001
1091  005504L 11011111 10100101                     BRA    FDTFCN
1092                                          .       END
1093                                          .   ELSE BEGIN
1094                                          .       IF MBIN (MADR, FCINDT) <> TEMPH      MAKE SURE CORRECT SYNC BYTE
1095                                          .       THEN EXIT (FDRDT5X);
1096                                          .       IF MBIN (MADR, FCINDT) <> TEMPL      MAKE SURE CORRECT SYNC BYTE
1097                                          .       THEN EXIT (FDRDT5X)
1098  005505L                                 FDTINVR
1099  005505L 00010001 11110011                      MBUS   MADR,FCINDT
      005506L 01010011 00010000
      005507L 11011100 10111000
      005510L 00110111 00100110
      005511L 00110111 00101001
1100  005512L 01110001 11110001                      LDTR   TEMPH
1101  005513L 11011100 10110100                      MBTIN  XR
      005514L 00110000 00010101
1102  005515L 11010010 10011010                      BRA    FDRSYNC,FZ
1103                                                 RPT    7
1104  005516L 11011111 10110000                     BRA    $+1
1104  005517L 11011111 10101111                     BRA    $+1
1104  005520L 11011111 10101110                     BRA    $+1
1104  005521L 11011111 10101101                     BRA    $+1
1104  005522L 11011111 10101100                     BRA    $+1
1104  005523L 11011111 10101011                     BRA    $+1
1104  005524L 11011111 10101010                     BRA    $+1
1105  005525L 00110111 00101001                     STB    MIFSTB
```

```
1106.  005526L 01110001 10110010          LDTR   TEMPL,CC
1107.  005527L 11011100 10101000          MBTIN  XR
       005530L 00110000 00010101
1108.  005531L 11010010 10011010          BRA    FDRSYNC,FZ
1109.                                     BRA    FDTFCN
1110.                                        END;
1111.                                *
1112.                                  EXIT (FDTFCN)                    OK, GO DO MAIN WORK
1113.                                  END FDINIT;
```

```
1114,                                   +
1115,                                   *
1116,  005532L                          FDTFCN
1117,                                   . 1,50
1118,                                   .       BEGIN
1119,  005532L 00110111 01000111                 STB     SMR                     (EVEN IF NOT NEEDED)
1120,                                   .       MBSTAT := CASE URB .AND. FDMASK OF       SET UP LOOP ROUTINE
1121,                                   .            (INS, IND, VRS, VRD, DTS, DTD, WPI, OUT);
1122,                                   .       EXIT (MBSTAT)
1123,  005533L 00110001 11010001                 DDTIP   ,ND,FDMASK,URI+URB
       005534L 01010101 00111000
1124,  005535L 01010010 10100110                 DDRA    MBSTAT,AC,FDFTBL
       005536L 00000111 11110101
1125,  005537L 11011100 10100000                 MBWAIT
1126,  005540L 00010001 10110011                 LDTR    MADR,CC                 (CC IS FOR FDWPI, FDF)
1127,  005541L 11010100 10011110                 MWAIT   ,IGNORE
1128,  005542L 01011001 11110110                 BPGX    FDFTBL                  (POINT TO PAGE 4 SO CAN)
1129,  005543L 11010111 10000110                 BRA     MEMPF4,T@,MP            (RESTORE REGS BEFORE MEMORY FAULT)
1130,  005544L 10001111 00000101                 BRR     MBSTAT
1131,                                   .       END FDTFCN;
1132,                                   .
1133,                                   .       END FENDIT;
1134,                                   *
1135,  005545L                          FDRSYNC
1136,                                   . 5,80 INCL IFETCH
1137,                                   .       BEGIN
1138,                                   .       LUF := 0202 + 0202;             ERROR, BAD SYNC BYTES
1139,                                   .       EXIT (FENDIR)
1140,  005545L 01010001 10000010                 LDTI    0202
1141,  005546L 11011111 01101111                 BRA     FENDIR
1142,                                   .       END FDRSYNC;                    CARRY TRUE, ZERO-SIGN FALSE
1143,                                   *
1144,  005547L                          FDEWPI
1145,                                   .       6:   BEGIN
1146,  005547L 01000000 00110010                 TSTIT   XR,FDWPI+2
1147,  005550L 11010010 01110011                 BRA     FDTFIN,FZ
1148,                                   .           MBUS (MADR, FCOTUP, FPTWSGL + FPLWSGL>1);  POINT TO POSTAMBLE
1149,                                   .           MBUS (MADR, FCOUTC, SOCLK);         PUT OUT POST BYTES ALSO
1150,                                   .           MBUS (MADR, FCOUTC, SOCLK);
1151,  005551L 00010001 11110011                 MBUS    MADR,FCOTUP,FPTWSGL+FPLWSGL-2>1
       005552L 01010011 01010000
       005553L 11011100 10010100
       005554L 00110111 00100110
       005555L 01010001 11000010
       005556L 00110111 00100111
       005557L 00110111 00101001
1152,                                            RPT     7                       (2 MICRO-SECOND DELAY)
1153,  005560L 11011111 10001110                BRA     $+1
1153,  005561L 11011111 10001101                BRA     $+1
1153,  005562L 11011111 10001100                BRA     $+1
1153,  005563L 11011111 10001011                BRA     $+1
1153,  005564L 11011111 10001010                BRA     $+1
```

```
1153,  005565L 11011111 10001001          BRA    $+1
1153,  005566L 11011111 10001000          BRA    $+1
1154.  005567L 00010001 11110011          MBUS   MADR,FCOUTC,SOCLK
       005570L 01010011 10100000
       005571L 11011100 10000110
       005572L 00110111 00100110
       005573L 01010001 10101010
       005574L 00110111 00100111
       005575L 00110111 00101001
1155,                                     RPT    7                    (2 MICRO-SECOND DELAY)
1156,  005576L 11011111 10000000         BRA    $+1
1156,  005577L 11011111 01111111         BRA    $+1
1156,  005600L 11011111 01111110         BRA    $+1
1156,  005601L 11011111 01111101         BRA    $+1
1156,  005602L 11011111 01111100         BRA    $+1
1156,  005603L 11011111 01111011         BRA    $+1
1156,  005604L 11011111 01111010         BRA    $+1
1157.  005605L 00010001 11110011          MBUS   MADR,FCOUTC,SOCLK
       005606L 01010011 10100000
       005607L 11011100 01111000
       005610L 00110111 00100110
       005611L 01010001 10101010
       005612L 00110111 00100111
       005613L 00110111 00101001
1158,                                  .      BRA    FDTFIN
1159,                                  .         END;
1160,                                  *
1161,  005614L                         FDTFIN
1162,                                  . 6.00 INCL IFETCH
1163,                                  .      BEGIN
1164,                                  .      URB := URB .OR. 3;             MARK THE END
1165,                                  .      LUF := 0 + 0;                  WITHOUT ERRORS
1166,                                  .      EXIT (FENDIR)
1167.  005614L 00110001 11010001                 DOPIP  URO+URB,OR,3,URI+URB
       005615L 01010011 00000011
       005616L 00110111 10000001
1168,  005617L 01010001 00000000                 TCLR
1169,                                  .         BRA    FENDIR
1170,                                  .      END FDTFIN;                    CARRY FALSE
1171,                                  *
1172,  005620L                         FENDIR
1173,                                  . 5.50 INCL IFETCH
1174,                                  .      BEGIN
1175,                                  .      MBSTAT := URH;
1176,                                  .      MADR := URL;
1177,                                  .      HL := MAR;
1178,                                  .      MAR := DE;
1179,                                  .      DE := MCRC;                    RESTORED REGISTERS
1180,                                  .      MCRC := MAR;
1181,                                  .      EXIT (FENDIT)
1182,  005620L 01101111 11110001                 LDRT   TEMP1
1183.  005621L 00110001 11010101                 LDRP   MBSTAT,URI+URH
```

```
                005622L 00000111 11110101
1184.           005623L 00110001 11010110          LDRP   MADR,URI+URL
                005624L 00000111 11110011
1185.           005625L 00110001 10000110          DLDX   MR2HL
                005626L 00110001 10100101
1186.           005627L 00110001 11000100          DLDX   DE2MR                  (AS TEMPORARY HOLDING REG)
                005630L 00110001 11100011
1187.           005631L 00010001 11110111          DLDPR  URO+UDE,MCRC
                005632L 00110111 10000100
                005633L 00010001 11110110
                005634L 00110111 10000011
1188.           005635L 00110001 10010000          DLDRP  MCRC,MARI
                005636L 00000111 11110111
                005637L 00110001 10110000
                005640L 00000111 11110110
1189.                                      .         BRA    FENDIT
1190.                                      .       END FENDIR;
1191.                                      *
1192.           005641L                    FENDIT
1193.                                      . 3.55 INCL. IFETCH
1194.                                      .       BEGIN
1195.                                      .       MODW := PSW := PSW .AND. -1-SWRPT;      DISABLE REPEAT STATUS
1196.                                      .       RETURN (FETCH)
1197.           005641L 01110001 11110001          DOPRR  LUF,AC,TEMP1,TEMP1,C0  (DONE NOW WITH COMMON CODE)
                005642L 01110010 00110001
                005643L 00110111 00000110
1198.           005644L 00110001 11011100          DOPIP  PSWO,ND,-1-SWRPT,PSWI
                005645L 01010101 11011111
                005646L 00110111 10001100
1199.           005647L 00110111 00000100          LDPT   MODW
1200.         >005650L 01011001 11111111           BRAX   FETCH
              >005651L 11001111 11111111
1201.
```

```
1204,                                   *
1205,  005652L                          FXSTAT:
1206,                                   . 3,45 - FXSTAT
1207,                                   . 5,85 - FXSCLR
1208,                                   .
1209,                                   .       BEGIN
1210,                                   .       IF SWUSER IN PSW                        ONLY ALLOW IF PRIVED
1211,                                   .       THEN EXIT (IVIOL5);
1212,  005652L 00110001 11011100                  TSTIP  ,SWUSER,PSWI
       005653L 01000101 00000100
1213,  005654L 11010010 00101001                  BRA    IVIOL5,FZ
1214,                                   .       URA := MBITS;                           GIVE USER STATUS OF I/O
1215,                                   .       URD := MDSKT;                           TRACK NUMBER
1216,                                   .       URE := MDSKS;                           SECTOR NUMBER
1217,  005655L 00010001 11110100                  LDPR   URD+URA,MBITS
       005656L 00110111 10000000
1218,  005657L 00010001 11111001                  LDPR   URD+URD,MDSKT
       005660L 00110111 10000011
1219,  005661L 00010001 11111000                  LDPR   URD+URE,MDSKS
       005662L 00110111 10000100
1220,                                   .       IF NOT ZERO IMP
1221, >005663L 01011001 11111111                  BRAX   FETCHI,T0,IZ
      >005664L 11001001 11111111
1222,                                   .       THEN BEGIN                              FXSCLR
1223,                                   .            MBITS := 0;
1224,                                   .            MBSTAT := NOTHINGTODO
1225,  005665L 01010001 00000000                  BAL    MBSTAT,-1               (LOADS T-REG WITH ZERO)
       005666L 00000111 11110101
1226,  005667L 00000111 11110100                  LDRT   MBITS
1227, >005670L 11001111 11111111                  BRA    FETCHI
1228,                                   .            END
1229,                                   .       ELSE RETURN (FETCHI)
1230,                                   .       END FXSTAT;
1231,                                   .
```

```
1234,                                   *
1235,  005671L                          UBIO:
1236,                                   . 3,85   UBOUT
1237,                                   . 6,40   UBIN
1238,                                   . 5,95   UBOUT2
1239,                                   . 6,60   UBIN2
1240,                                   .
1241,                                   .       BEGIN
1242,                                   .       IF SWUSER IN PSW                        ONLY IS PRIV'D
1243,                                   .       THEN EXIT (IVIOL$);
1244,  005671L 00110001 11011100                  TSTIP  ,SWUSER,PSWI
       005672L 01000101 00000100
1245,  005673L 11010010 00101001                  BRA    IVIOL5,FZ
1246,  005674L 11011100 01000011                  MBWATT
1247,                                   .       IF ODD IMP
1248,  005675L 11011010 00110100                  BRA    UBOUT,F0,IO
1249,                                   .       THEN BEGIN
1250,                                   .            STB (DIMP);                        111, 113 CODES
1251,                                   .            IF ZERO IMP
1252,                                   .            THEN URB := MBIN (URA)             111 145 - UBIN
1253,                                   .            ELSE URB := MBIN2 (URA)            113 145 - UBIN2
1254,                                   .            END
1255,  005676L 00110111 00001001                  STB    DIMP
1256,  005677L 00110001 11010000                  LDPP   MIFADR,URI+URA
       005700L 00110111 00100110
1257,  005701L 11011000 00111011                  BRA    UBIN2,F0,IZ
1258,  005702L 00110111 00101001                  STB    MIFSTB
1259,  005703L 11011111 00111001                  BRA    UBIN
1260,  005704L                          UBIN2
1261,  005704L 00110111 00101010                  STB    MIFSTB2
1262,  005705L 11001110 11111111                  NOOP
1263,  005706L                          UBIN
1264,  005706L 11011100 00111001                  MBIN
       005707L 00110001 00010101
1265,  005710L 00110111 10000001                  LDPT   URO+URB
1266, >005711L 01011001 11111111                  BRAX   FETCHI
      >005712L 11001111 11111111
1267,                                   *
1268,                                   .       ELSE BEGIN
1269,  005713L                          UBOUT
1270,                                   .            IF ZERO IMP
1271,                                   .            THEN MBUS (URA,,URB)                    145 - MXIOUT
1272,                                   .            ELSE MBUS2 (URA,,URB)              062 145 - MXIOUT
1273,                                   .            END;
1274,  005713L 00110001 11010000                  LDPP   MIFADR,URI+URA
       005714L 00110111 00100110
1275,  005715L 00110001 11010001                  LDPP   MIFDAT,URI+URB
       005716L 00110111 00100111
1276,  005717L 11011000 00101100                  BRA    UBOUT2,F0,IZ
1277,  005720L 00110111 00101001                  STB    MIFSTB
1278, >005721L 01011001 11111111                  BRAX   FETCHI
      >005722L 11001111 11111111
```

```
1279'  005723L                          UBOUT2
1280'  005723L 00110111 00101010                STB    MIFSTB2
1281'  >005724L 01011001 11111111               BRAX   FETCHI
       >005725L 11001111 11111111
1282'                                    .      RETURN (FETCHI)
1283'                                    .      END MXIO;
1284'                                    *
1285'  >005726L 01011001 11111111       IVIOL5  BRAX   IVIOL$
       >005727L 11001111 11111111
1286'                                    .
```

```
1289,                                   *
1290,  005730L                          INFO:
1291,                                   . 2,55   (    010)  NOP              NO-OP (STROBE ON 2200)
1292,                                   . 5,40   (111 010)  INFO             A = VERSION #, B = REVISION #
1293,                                   . 5,95   (062 010)  INFO2            B = CAPABILITIES, CDE=0
1294,                                   . 5,95   (113 010)  INFO3            BCDE = 0  (CAPABILITIES)
1295,                                   . 5,95   (174 010)  INFO4            BCDE = 0
1296,                                   . 5,95   (115 010)  INFO5            BCDE = 0
1297,                                   . 5,95   (176 010)  INFO6            BCDE = 0
1298,                                   . 5,95   (117 010)  INFO7            BCDE = 0
1299,                                   . 5,95   (022 010)  INFO8            BCDE = 0
1300,                                   .
1301,                                   .       CASE IMP OF
1302,                                   .       0:   ;
1303,                                   .       1:   A= VER
1304,                                   .            B = REV;
1305,                                   .       2:   B = CAPABILI
1306,                                   .            C,D,E = 0;
1307,                                   .       3,.8:B,C,D,E = 0;
1308,                                   .       END CASE
1309,                                   .       FETCHI
1310,                                   .
1311,  005730L 11011001 00011000                BRA    INFNO,T0,IZ
1312,  005731L 00110111 00001001                STB    DIMP             CHECK IF ITS 1 (111)
1313,  005732L 01010001 00000010                LDTI   VER              (ASSUME SO)
1314,  005733L 11011000 00100000                BRA    INFEXT,F0,IZ     NO SEE IF 2 OR ABOVE
1315,  005734L 00110111 10000000                LDPT   URO+URA
1316,  005735L 01010001 00001001                LDTI   REV              SET PROCESSOR VERSION AND REVISION LEVEL
1317,  005736L 11011111 00011001                BRA    INFEND
1318,                                   .
1319,  005737L 00110111 00001001        INFEXT  STB    DIMP             CHECK IF ITS 2 (062)
1320,  005740L 01010001 00000000                LDPI   URO+URC,0
       005741L 00110111 10000010
1321,  005742L 00110111 10000011                LDPT   URO+URD          SET CDE = 0 IN ANY CASE
1322,  005743L 00110111 10000100                LDPT   URO+URE
1323,  005744L 11011000 00011001                BRA    INFEND,F0,IZ     WAS IT 062 OR OTHER?
1324,  005745L 01010001 11001101                LDTI   CAPABILI         YES, 062 SET CAPABILITIES
1325,  005746L 00110111 10000001        INFEND  LDPT   URO+URB          SET B-REGISTER
1326,  >005747L 01011001 11111111       INFNO   BRAX   FETCHI           AND DONE
       >005750L 11001111 11111111
```

```
1327.                                   *
1328.  005751L 01011001 11110110      MEMPF5   BRAX    MEMPF4
       005752L 11011111 10000110
1329.                                   .
1330.  005753L 11111111 11111111                TABPAGE FLEXL
       005754L 11111111 11111111
       005755L 11111111 11111111
       005756L 11111111 11111111
       005757L 11111111 11111111
       005760L 11111111 11111111
       005761L 11111111 11111111
       005762L 11111111 11111111
       005763L 11111111 11111111
       005764L 11111111 11111111
       005765L 11111111 11111111
       005766L 11111111 11111111
       005767L 11111111 11111111
       005770L 11111111 11111111
       005771L 11111111 11111111
       005772L 11111111 11111111
       005773L 11111111 11111111
       005774L 11111111 11111111
       005775L 11111111 11111111
       005776L 11111111 11111111
       005777L 11111111 11111111
1331.                                   *
1332.  002000                           FLEXLEN  EQU     $-FLEXP
1333.  004000                                    USE     FLEXL
1334.  004000                                    SKIP    FLEXLEN
1335.                                           END
```

```
004053  DBLRED          *162    808
        DE2MRH           982   1186
        DE2MRL           982   1186
        DIMP            1255   1312   1319
        DMAR             945
004024  DONIO           *131    177    780
005023  DOREAD          *795
005217  DOWDCG          *878    843
005134  DOWRITE         *841    791
        FCINDT           206    270    560    569    581    596    681   1099
        FCINST           169    742
        FCLEAR           153    178    200    735    764    781    835
        FCOINT           150    176    198    762    779    807
        FCOMOD           105    856
        FCOSYL           754    819    827
        FCOSYM           753    818    826
        FCOTOP           755    834    863    871
        FCOTUP           197    806   1034   1059   1151
        FCOUTC           528    540    551    699   1042   1087   1090   1154   1157
        FCRHDR           766
        FCRTIM           836
        FCWDCG           888
        FCWDGP           872
        FCWRTN           864
005303  FDATA           *963    904
005312  FDATA1          *975    967
        FDDBL           1053
004640  FDEOT           *693    674
005547  FDEWPI         *1144    706
004656  FDEWPIX         *706    696
004547  FDF             *614    509    531    573    604
004441  FDFCNS          *498    586    611
004516  FDFINC          *572    563
004536  FDFINP          *599    584
004545  FDFIS           *606    544    554
004567  FDFLEND         *639    627    636
004560  FDFNXT          *632    626
004531  FDFTBL          *594   1124   1128
005352  FDINIT         *1019
        FDLTD           1069
        FDMASK          1123
        FDNINV           673   1082
        FDNOT            695
        FDOUT            966   1026
004663  FDRCRC          *720    685    689
005420  FDRDBL         *1056   1054
004660  FDRDTA          *712    571    598    683    687
005415  FDREG          *1049   1031
005545  FDRSYNC        *1135   1102   1108
        FDSMSK           990
005352  FDTBL          *1014    991
004615  FDTEND          *665    644   1009
```

005345	FDTENX	*1008	1012				
005532	FDTFCN	*1116	1013	1027	1047	1091	
005614	FDTFIN	*1161	691	1011	1147		
004636	FDTFIX	*690	703				
005374	FDTINI	*1039	1044				
005505	FDTINVR	*1098	1083				
005453	FDTLTD	*1079	1074				
005444	FDTNRM	*1075	1070				
	FDWPI	1030	1146				
005620	FENDIR	*1172	717	725	1141		
005641	FENDIT	*1192	1005				
	FETCH	1200					
	FETCHI	1221	1227	1266	1278	1281	1326
	FFDBL	800	858				
	FFMASK	931	965				
	FFRDLTD	813					
	FFRMSK	295	790				
	FFSMSK	881					
	FFSYNC	932					
	FFWMSK	842					
	FIINDX	108					
	FINUM	101					
	FIPNTR	167					
	FITROK	135	191				
	FKLOFF	153	200				
	FKLON	764	781				
	FKMAST	153	200	764	781	835	
	FKPNTR	178					
	FKRWMF	735					
004000	FLEX	*132:A	49				
004000	FLEXL	*51	53	443	771	1330	
002000	FLEXLEN	*1332	1334				
004000	FLEXP	*53	1332				
	FMINDX	176	198	762	779	807	
	FMPNTR	198	807				
	FMTRER	176	762	779	807		
	FMTROK	176	762	779	807		
	FO43MGC	851					
	FO43MSK	852					
	FODR0	104	930				
	FOLOAD	104					
	FPLHDR	766					
	FPLRDTA	836					
	FPLWDBL	872					
	FPLWSGL	864	1151				
	FPTHDR	755					
	FPTRDTA	806	834	1059			
	FPTRKH	197					
	FPTWDBL	871					
	FPTWSGL	863	1034	1151			
	FRBUSY	125	138	908	930	973	
	FRDRV	102	853	929			

```
        FRINDX          125
        FRIXCT          114     934
        FRIXCX          934
        FSGAP           170
        FSONLN          743
005231  FXIO            *894
005265  FXIO1           *935    933
004022  FXIOER          *122    745     748
005652  FXSTAT          *1205
004107  HDRCHK          *186    765
004171  HDRCHK1         *233    199
004140  HDRCOM          *201    252
004212  HDRCRC          *256    251
004675  HDREAD          *737    136     192     208     218     224     249     273     275     279     281     294
                        296     880     882
004666  HDRERD          *730    116     168     172
005000  HDROK           *775    297
004253  HDROKX          *297    292
004021  HDSTRT          *115    942
        HL2MRH          985
        HL2MRL          985
        IMAR            507     603     607     911
005746  INFEND          *1325   1317    1323
005737  INFEXT          *1319   1314
005747  INFNO           *1326   1311
005730  INFO            *1290
020005  IO              *41:A   1248
        IT              439     1043
        ITW             274     280     287     293     684     688
        IVIOL$          1285
005726  IVIOL5          *1285   902     1213    1245
020004  IZ              *40:A   904     1221    1257    1276    1311    1314    1323
010001  KBSCNT          *49:A
        LIMP            949
030000  LINK            *82:A   310     356     375     402     437     439     440     465     491     991     992
        LUF             950     1197
010003  MADR            *54:A   105     150     153     169     176     178     197     198     200     206     270
                        637     654     681     699     735     742     753     754     755     762     764     766
                        779     781     806     807     818     819     826     827     834     835     836     856
                        863     864     871     872     888     924     986     988     1034    1042    1059    1087
                        1090    1099    1126    1151    1154    1157    1184
        MARIH           984     1188
        MARIL           984     1188
        MAROH           234     257     921
        MAROL           234     257     921
010004  MBITS           *55:A   102     114     146     295     790     809     853     858     908     930     936
                        973     1217    1226
004000  MBPAGE          *94
010005  MBSTAT          *56:A   109     151     177     199     229     251     627     638     653     765     780
                        808     942     987     1124    1130    1183    1225
004000  MBSTRT          *99     951
010006  MCRCH           *57:A   274     311     357     362     363     369     372     508     657     658     684
```

```
030003  RSTAT          *90:A
        SACRC           761     763
        SADUAL          753     754
        SR              621
010002  SCANSV         *50:A
        SCHUMS          228
        SCMBUS          228
        SDCRC          1076
        SDDUAL          826     827    1077    1078
        SL              360     366     370     435     468
        SMCRC          1071
        SMDUAL          818     819    1072    1073
        SMR             234     257     507     607    1119
        SOCLK           216     222     403     406     421     424     475     485     529    1154    1157
        SRVBSN          156     180     768     837     865     873     889
        SRVDO           230
        SRVREQ          228     635     643
        SRVRPT          659
        SVMSECT         257
        SVMTRAK         234     921
        SWRPT          1198
        SWUSER          901    1212    1244
030001  TEMP1          *83:A    85:A    101     108     311     419     436     466     478     542     552     562
                        583     700     702     852     855    1004    1038    1043    1182    1197
030002  TEMP2          *84:A    86:A    362     364     367     370     373
030001  TEMPH          *85:A    656     658    1080    1087    1100
030002  TEMPL          *86:A    656     658    1072    1077    1090    1106
000001  TYPE            *5:A     12:A   117:A   119:A   124:A
005706  UBIN           *1263    1259
005704  UBIN2          *1260    1257
005671  UBIO           *1235
005713  UBOUT          *1259    1248
005723  UBOUT2         *1279    1276
        UDEH            656     657     983    1187
        UDEL            656     657     983    1187
        URA             924     988    1217    1256    1274    1315
        URB             628     673     931     965     990    1025    1069    1082    1123    1167    1265    1275
                       1325
        URC             621     929    1035    1057    1320
        URD             922    1218    1321
        URE             946    1219    1322
        URH             653     987    1183
        URI             621     628     653     654     656     673     922     924     929     931     946     965
                        988     990    1025    1069    1082    1123    1167    1183    1184    1256    1274    1275
        URL             654     986    1184
        URO             621     628     657     983     986     987    1025    1035    1057    1167    1187    1217
                       1218    1219    1265    1315    1320    1321    1322    1325
030012  URPNTR         *97:A
030010  UXPNTR         *95:A
000002  VER             *1:A   1313
005177  WDBL           *868     859
030016  XCRCH          *101:A
```

```
030017  XCRCL           *102:A
030015  XDATA           *100:A
030014  XPNTR            *99:A
030013  XSTAT            *98:A
```